DIGIEVER Network Camera Compatibility List

The list is applied for DIGIEVER NVR firmware 78-2 version or later

DIGIEVER NVR supports the camera feature
 * Camera does not support the feature
 Blank means the feature is NOT supported or verified by DIGIEVER

© NVR support camera hardware dewarp setting

③ NVR support camera software dewarp

♦ Camera takes more than 1CH, needed to be added via video sever method

1. Audio Detection 5. Intrusion Detection 9. People Counting Threshold Alarm IVA Event 2. Advanced Motion Detection 6. Loitering Detection 10. Temperature Detection

No.: 3. Human Detection 7. Foreign Object Detection 11. Camera Tampering Detection

4. Cross Line Detection 8. Missing Object Detection 12. Object Status Change

Supported in the NVR latest version

®360° Panoramic

Camera Model	Con	mpre	ession	Form	nat	Zo	om Cor	ntrol	Ba	isic Functi	on			Adva	nced Functio	n	Remark	
	MJPEG	i I	MPEG -4	н.264	н.265	Pan/ Tilt	Optical Zoom	Digital Zoom	1	Digital Input	Audio (Besides HTTP)	Two- way Audio	Edge Record (RTSP)	Supported IVA	Al Search (Metadata)	Advanced Right-Click Menu	Camera Firmware/ Note	Not suppo other plati CMS, VD
Panasonic cameras																		
Panasonic AW-HE75	•		*	•	*	•	•	•	*	*	(LD)						1.97	
Panasonic AW-HR140	•		*	•	*	•	•	•	*	*	•	*					V01.1300	
Panasonic BB-HCE481	•		*	*	*	•	•	•	*	*	*	*	*				V1.30	
Panasonic BB-HCM311	•		*	*	*	•	•	•	(FTP)	*		*					Firmware(Application) 1.30 * Unchangeable FPS	
Panasonic BB-HCM331	•		*	*	*	•	•	•	(FTP)	*		*					Firmware(Boot) 1.03 Firmware(Application) 1.30 * Unchangeable FPS	
Panasonic BB-HCM381	•		*	*	*	•	•	•	•	*	*							
Panasonic BB-HCM511	•		•	*	*	•	•	•	•	•	*						3.60R00	
Panasonic BB-HCM515	•			*	*	•	•	•	•	•		*					Firmware(Boot) 3.11R01	
Panasonic BB-HCM527	•	+	•	*	*	•	•	•	•	•	*						Firmware(Application) 3.51R00 3.60R02	\dashv
Panasonic BB-HCM580		-	•	*	*	•	•				*	*					3.00N0Z	_
Panasonic BB-HCM581		-	•	*	*	•	•				*						3.60R00	-
		+	•		_							*					Firmware(Boot) 4.11R03	_
Panasonic BB-HCM705	•				•	•	•	•	•	•							Firmware(Application) 4.51R01	
Panasonic BB-HCM715	•				*	•	•	•	•	•	*	*					4.31R00	
Panasonic BB-HCM735	•		•	*	*	•	•	•	•	•	•	*					Firmware(Boot) 4.30R00 Firmware(Application) 4.51R01	
Panasonic BB-SC364	•		*	•	*	•	•	•	•	•	•	*						
Panasonic BB-SC382	•		*	•	*	•	•	•	•	•	•	*					4.63	
Panasonic BB-SC384	•		•	•	*	•	•	•	•	•	•	*					1.51	
Panasonic BB-SC384A	•		*	•	*	•	•	*	•	•	•	*						
Panasonic BB-SC384B	•		*	•	*	•	•	•	•	•	•	*					4.73	
Panasonic BB-SP104W	•	_	*	•	*	*	*	•	•	*	*	*	*				V4.74	
Panasonic BB-ST162	•		*	•	*	•	*	•	•	•	•	*						_
Panasonic BB-ST165	•		*	•	*	•	•	•	•	•	•	*					1.01	_
Panasonic BB-ST165A	•	—	*	•	*	•	•	•	•	•	•	*					4.73	_
Panasonic BB-SW172A	•		*	•	*	•	*	•	•	•	•	*					Application: 4.60, Image data: 1.06	_
Panasonic BB-SW174WA		—	*	•	*	•	•	•	•	•	•	*						_
Panasonic BB-SW175A	•		*	•	*	*	*	•	•	•	*	*					Application: 4.73, Image data: 1.06	_
Panasonic BL-VP104	•	-	+	*	*	*	*	•	•	•	-	*					4.5410	_
Panasonic DG-NF282 Panasonic DG-NP304	•	+		*	*	*	*	•	•			*					1.61J0 1.50J5 1.06	_
	•	+						•	•	•							2.74J0	_
Panasonic DG-NS202	•			*	*	•	•	•	•	•		*					Support 64 preset points	
Panasonic DG-NS202A	•			*	*	•	•	•	•	•		*					2.74J0 Support 64 preset points	
Panasonic DG-SC385	•		•	•	*	•	•	•	•	•	•	*					1.51	
Panasonic DG-SC386	•		•	•	*	•	•	•	•	•	•	*						
Panasonic DG-SF334	•		•	•	*	*	*	•	•	•	•	*					Application: 1.35, Quality adjustment data: 1.06 MJPEG stream doesn't contain sound.	
Panasonic DG-SF335	•		•	•	*	*	*	•	•	•	•	*					Application: 2.01, Quality adjustment data: 1.06 MJPEG stream doesn't contain sound.	
Panasonic DG-SP102	•		*	•	*	*	*	•	•	*	*	*					1.46	
Panasonic DG-SP304	•	_	•	•	*	*	*	•	•	•	•	*					1.06	
Panasonic DG-SP305	•	-	•	•	*	*	*	•	•	•	•	*	*				V1.01	
Panasonic DG-SP509	•		*	•	*	*	*	•	•	•	•	*						
Panasonic DG-SW316	•	_	•	•	*	*	*	•	•	•	•	*						
Panasonic DG-SW458	•		*	•	*	*	*	•	•		•	*			ļ			
Panasonic DS-SW155	•	\perp	*	•	*	*	*	•	•		*	*			ļ			
Panasonic KX-HCM130	•		*	*	*	•	*	•	*	*	*	*			1		1.8 * Unchangeable FPS	

Update: Oct. 2024

1

d	Camera Model	Com	npressi	on Fo	rmat	Z	oom Co	ntrol	Bas	sic Functi	on			Adva	nced Functio	n	Remark	
		MJPEG	MPEG	H.2	64 H.26	5 Pan/ Tilt	Optical Zoom	Digital Zoom	Motion Detection	Digital Input	Audio (Besides HTTP)	Two- way Audio	Edge Record (RTSP)	Supported IVA	Al Search (Metadata)	Advanced Right-Click Menu	Camera Firmware/ Note	Not support other platfor CMS, VD, S
	Panasonic KX-HCM180	•	*	*	*	•	•	•	•	*	*	*					1.83	
	Panasonic KX-HCM2	•	*	*	*	*	*	•	*	*	*	*					1.8	
	Panasonic WV-NP502	•	•	1	*	*	*	•	•	•	•	*					* Unchangeable FPS 4.5	+
	Panasonic WV-S1110V		*			*	*	—		•	•	*					4.5	
	Panasonic WV-S1110VR		*			*	*	—	•	*	•	*					4.5	1
	Panasonic WV-S1110VRJ	•	*		_	*	*	•	ě	*	•	*					4.5	
	Panasonic WV-S1111	•	*	•		*	*	•	•	•	•	*					4.5	
	Panasonic WV-S1111D	•	*	•	•	*	*	•	•	•	•	*					4.5	
	Panasonic WV-S1112	•	*	•	•	*	*	•	•	•	•	*					4.5	
	Panasonic WV-S1115V	•	*	•	•	*	*	•	•	*	•	*					4.5	
	Panasonic WV-S1116	•	*	1	•	*	*	•	•	•	•	*					4.5	
	Panasonic WV-S1116D	•	*			*	*	•	•	•	•	*					4.5	1
	Panasonic WV-S1130	•	*	•) •	*	*	•	*	*	•	*						
	Panasonic WV-S1130V	•	*	•	•	*	*	•	•	*	•	*					4.5	
	Panasonic WV-S1130VR	•	*	•	•	*	*	•	*	*	•	*					4.02	
	Panasonic WV-S1130VRJ	•	*	•	•	*	*	•	•	*	•	*					4.5	
	Panasonic WV-S1131	•	*	•	•	*	*	•	•	•	•	*					4.5	
	Panasonic WV-S1135V	•	*	•	•	*	*	•	•	*	•	*					4.5	
	Panasonic WV-S1136	•	*	•	•	*	*	•	•	•	•	*						
	Panasonic WV-S1136J	•	*	•	_	*	*	•	•	•	•	*					4.5	
	Panasonic WV-S1510	•	*			*	*	•	•	*	*	*					4.5	
	Panasonic WV-S1511LDN	•	*	•	_	*	*	•	•	•	•	*					4.5	4
	Panasonic WV-S1511LN	•	*	1		*	*	•	•	•	•	*					4.5	+
	Panasonic WV-S1511LNJ	•	*	-		*	*	•	•	•	•	*					4.5	_
	Panasonic WV-S1516L	•	*	—		*	*	•	•	•	•	*					4.5	+
	Panasonic WV-S1516LD	•	*			*	*	•	•	•	•	*					4.5	+
	Panasonic WV-S1516LDN	•	*		•	*	*	•	•	•	•	*					<u>4.5</u> 4.5	+
	Panasonic WV-S1516LN Panasonic WV-S1531LNJ	•	*		•	*	*	•	•	•	•	*					4.5	+
	Panasonic WV-51531LNS		*			*	*					*					4.5	+
	Panasonic WV-S1531LNSJ		*			*	*					*					4.5	+
	Panasonic WV-S1531LTN		*			*	*	•		•	•	*					4.5	+
	Panasonic WV-S1531LTNJ		*			*	*	•	•	•	•	*					4.5	+
	Panasonic WV-S1536		*			*	*		•	•		*					4.5	+
	Panasonic WV-S1536L	•	*			*	*	•	•	•	•	*					4.5	+
	Panasonic WV-S1536LN		*			*	*		•	•	•	*					4.5	+
	Panasonic WV-S1536LNJ		*			*	*		•	•		*					4.5	+
	Panasonic WV-S1536LT	•	*		_	*	*	•	•	•	•	*						+
	Panasonic WV-S1536LTNJ	•	*			*	*	•	ě	•	•	*						1
	Panasonic WV-S1550L	•	*			*	*	•	Ť	•		*					4.3	
	Panasonic WV-S1570L	•	*			*	*		•	•	•	*					4.23	1
	Panasonic WV-S2110	•	*			*	*	•	•	*	•	*					4.3	1
	Panasonic WV-S2110J	•	*) •		*	•	•	*	•	*					4.3	
	Panasonic WV-S2110RJ	•	*		. •		*	•	•	*	•	*					4.3	
	Panasonic WV-S2111L		*	-) •		*		•	•		*					4.3	
	Panasonic WV-S2111LD	•	*	•	•	*	*	•	•	•	•	*					4.3	
	Panasonic WV-S2115	•	*	•	•	*	*	•	•	*	•	*					4.3	1
	Panasonic WV-S2116L	•	*	•	•	*	*	•	•	•	•	*					4.3	T
	Panasonic WV-S2116LD	•	*		•	*	*	•	•	•	•	*					4.3	
	Panasonic WV-S2130	•	*		•	*	*	•	•	*	•	*					4.3	
	Panasonic WV-S2130RJ	•	*	•	•	*	*	•	•	*	•	*						
	Panasonic WV-S2131L	•	*		_	*	*	•	•	•	•	*					1.11	1
	Panasonic WV-S2135	•	*			*	*	•	ě	*	•	*					1.11	1
	Panasonic WV-S2136	•	*		•	*	*	•	•	•	•	*					1.11	1
	Panasonic WV-S2136L	•	*	-	•	*	*	•	•	•	•	*					4.3	1
	Panasonic WV-S2136LJ	•	*	-	•	*	*	•	ě	•	•	*	İ				4.3	1
	Panasonic WV-S2511LN	•	*				*	•	•	•	•	*					4.3	
	Panasonic WV-S2531LN	•	*				*	•	•	•	•	*					1.11	1
	Panasonic WV-S2531LTN	•	*	•			*	•	•	•	•	*					1.11	T
	Panasonic WV-S2536L	•	*	-) •		*	•	•	•	•	*					1.11	1
	Panasonic WV-S2536LNJ	•	*	-	•		*	•	•	•	•	*					1.11	
	Panasonic WV-S2536LT	•	*		•	*	*	•	•	•	•	*						

Camera Model		Com	pressio	n Forn	nat	Zo	om Cor	itrol	Ва	sic Functi				Adva	nced Function	n	Remark	
		MJPEG	MPEG -4	H.264	H.265	Pan/ Tilt	Optical Zoom	Digital Zoom	Motion Detection	Digital Input	Audio (Besides HTTP)	Two- way Audio	Edge Record (RTSP)	Supported IVA	Al Search (Metadata)	Advanced Right-Click Menu	Camera Firmware/ Note	Not so other CMS
Panasonic WV-S2536LTNJ		•	*	•		*	*	•	•	•	•	*	(KISP)					CIVIS
Panasonic WV-S2570L			*			*	*	•				*					4.23	
Panasonic WV-S3110			*	•		*	*	•				*					4.23	
Panasonic WV-S3130			*			*	*					*					4.23	
Panasonic WV-S3110J			*	_		*	*		+ <u> </u>	*	+ ·	*					4.23	
		•	*	•	•	*	*	•	•	*	•	*						
Panasonic WV-S3130J		•		•	•			•	•		•						4.11	
Panasonic WV-S3510		•	*	│●	•	*	*	•	•	•	•	*					4.11	
Panasonic WV-S3510J		•	*	•	•	*	*	•	•	*	•	*						
Panasonic WV-S3530		•	*	•	•	*	*	•	•	•	•	*					4.11	
Panasonic WV-S3530J		•	*		•	*	*	•	•	*	•	*					4.22	
Panasonic WV-S4150	PS	•	*	•	•	*	*	•	•	•	•	*					*Please set "image capture mode" on camera first; then, user can add camera via "setting from camera" *NVR does not support Quad/4-stream mode	
Panasonic WV-S4156	PS	•	*	•	•	*	*	•	•	•	•	*					1.01 *Please set "image capture mode" on camera first; then, user can add camera via "setting from camera"	
Panasonic WV-S4156J	PS	•	*	•	•	*	*	•	•	•	•	*					*NVR does not support Quad/4-stream mode *Please set "image capture mode" on camera first; then, user can add camera via "setting from camera" *NVR does not support Quad/4-stream mode	
Panasonic WV-S4156LJ	® ®	•	*	•	•	*	*	•	•	•	•	*					*V2.00 *Please set "image capture mode" on camera first; then, user can add camera via "setting from camera" *NVR does not support Quad/4-stream mode	
Panasonic WV-S4176	Ps	•	*	•	•	*	*	•	•	•	•	*					*Please set "image capture mode" on camera first; then, user can add camera via "setting from camera" *NVR does not support Quad/4-stream mode 2.00	
Panasonic WV-S4176J	®©	•	*	•	•	*	*	•	•	•	•	*					Due to camera design of H/265/H.264, please disable stream2 when stream1 is over 15fps. If stream2 is enabled, stream1 and stream2 will become 15fps, which is the same as camera design *Please set "image capture mode" on camera first, then, user can add camera via "setting from camera" *NVR does not support Quad/4-stream mode	
Panasonic WV-S4550L	PS	•	*	•	•	*	*	•	•	•	•	*					4.22 *Please set "image capture mode" on camera first; then, user can add camera via "setting from camera" *NVR does not support Quad/4-stream mode	
Panasonic WV-S4556LJ	Ps	•	*	•	•	*	*	•	•	•	•	*					*Please set "image capture mode" on camera first; then, user can add camera via "setting from camera" *NVR does not support Quad/4-stream mode	
Panasonic WV-S4576LJ	®©	•	*	•	•	*	*	•	•	•	•	*					Due to camera design of H/265/H.264, please disable stream2 when stream1 is over 15fps. If stream2 is enabled, stream1 and stream2 will become 15fps, which is the same as camera design *Please set "image capture mode" on camera first; then, user can add camera via "setting from camera" *NVR does not support Quad/4-stream mode	
Panasonic WV-S6110		•	*	•	•	•	•	•	•	•	•	*					4.1	
Panasonic WV-S6111		•	*		•	•	•	•	•	•	•	*						
Panasonic WV-S6130		•	*	•	*	•	•	•	•	•	•	*					4.91 *To use PTZ/ preset point function, please ensure camera authentication is in basic mode. V5.05	
			— .	1_		_		_ _	<u> </u>	 _ _	-			<u> </u>			V3.U3	
Panasonic WV-S6131		•	*	•	•	_	•	•	•	•	•	*						
Panasonic WV-S6530		•	*	•	•	•	•	•	•	•	•	*					4.01	
Panasonic WV-S6530N		•	*	•	•	•	•	•	•	•	•	*					4.01	
Panasonic WV-S6530NJ		•	*	•	•	•	•	•	•	•	•	*					4.1	
Panasonic WV-S6530NS		•	*	•	•	•	•	•	•	•	•	*					4.1	
Panasonic WV-S6532L		•	*	•	•	•	•	•	•	•	•	*					1.01	
Panasonic WV-S6532LNSJ		•	*	•	•	•	•	•	•	•	•	*						
Panasonic WV-S8530N	*	•	*	•	•	*	*	•	•	*	*	*					4.3	
				•	*	•	•	•	•	•	•	*		t	+	1	-	\vdash

			_	rmat		oom Co	10.01		asic Functi	011			7 ta va	nced Functio		Remark	
	MJPEG	- 1	PEG 4 H.26	64 H.26	Pan/	Optical Zoom	Digital Zoom		Digital Input	Audio (Besides HTTP)	Two- way	Record	Supported IVA	Al Search (Metadata)	Advanced Right-Click Menu	Camera Firmware/ Note	other pla
Panasonic WV-SC385	•	+	•	*	+	•	•		•	H11P)	Audio *	(RTSP)					CMS, V
Panasonic WV-SC386					-						*						
Panasonic WV-SF132		 				*			*	*	*						
Panasonic WV-SF135		٠,				*			*	*	*						
Panasonic WV-SF342		1		_		*			•	•	*						
Panasonic WV-SF342		+-				*					*						
Panasonic WV-SF438 PS	•		* •	+	*	*	•	•		•	*					*Please set "image capture mode" on camera first; then, user can add camera via "setting from camera"	
				*	*	*	-		*		*					*NVR does not support Quad/4-stream mode	
Panasonic WV-SFN130	•	+			_		•	•		•	*					4.3	
Panasonic WV-SFN310	•	_			_	*	•	•	•	•							
Panasonic WV-SFN311	•	<u> </u>	* •	*	*	*	•	•	.	•	*					V2.50	
Panasonic WV-SFN480	•		* •	*	*	•	•	•	●ХЗ	•	*	*				V2.50 (1) Please set image capture mode on camera's WebUI first. Then, go to NVR's camera parameter to set up resolution/fps/bitrate. (2) NVR doesn't support "Quad streams" mode	
Panasonic WV-SFV110	•		*	*	*	*	•	•	*	•	*					4.3	
Panasonic WV-SP105	•		* •	*	*	*	•	•	*	*	*						
Panasonic WV-SP105A	•	,	* •	*	*	*	•	•	*	*	*					2.50	
Panasonic WV-SP508	•				*	*	•	•	•	*	*						
Panasonic WV-SP508E		1	*	_	*	*		•	•	*	*						
Panasonic WV-SP509	•	٠	— <u> </u>		*	*		•	•	•	*						
Panasonic WV-SP509E	•	<u> </u>			*	*		•		•	*						
Panasonic WV-SPN310		+	*		*	*					*						
Panasonic WV-SPN310V		+		_	*	*					*					1.87	
		٠.				*	<u> </u>				*					1.87	
Panasonic WV-SPN311					_	-	•				*	*				10.50	
Panasonic WV-SPN531A	•	_			_	•	•	•	●X3	•	*	*				V2.50	
Panasonic WV-SPW311AL	•	+				•	•	•			*					2.01	
Panasonic WV-SPW611I	•				_	•	•	•								2.00	
Panasonic WV-ST162	•	<u> </u>			•	*	•	•	-	•	*						
Panasonic WV-ST165	•		* •	*	•	*	•	•	•	•	*						
Panasonic WV-SUD638	•	'	* •	*		•	•	*	•	*	*				Wiper, IR (optoinal)	4.8	
Panasonic WV-SW152	•	٠.	* •	*	*	*	•	•	*	*	*						
Panasonic WV-SW155		+	*		*	*			*	*	*						
Panasonic WV-SW172		+ ,	*			*				•	*						
Panasonic WV-SW172 Panasonic WV-SW174W		+				*					*						
		+		_		*			*	*	*						
Panasonic WV-SW314		1				*	+ -				*						
Panasonic WV-SW316	•	1		_	*	*	•	•	•	•	*						
Panasonic WV-SW316L	•	1		_			•	•	•	•							
Panasonic WV-SW352	•	1			_	*	•	•	•	•	*						
Panasonic WV-SW355	•					*	•	•		•	*						
Panasonic WV-SW395	•		•		•	•	•	•	•	•	*						
Panasonic WV-SW396	•		•	*	•	•	•	•	•	•	*						
Panasonic WV-SW598	•		*	*	•	•	•	•		•	*					1.02	
Panasonic WV-U1114J	•		* *	•	*	*	*	*	*	*	*					1.02	
Panasonic WV-U1113AJ	•	,	•	•	*	*	•	•	•	*	*					2.00 Due to camera design of H/265/H.264, please disable stream2 when stream1 is over 15fps. If stream2 is enabled, stream1 and stream2 will become 15fps, which is the same as camera design	
Panasonic WV-U1114AJ	•	,	•	•	*	*	•	•	•	*	*					Due to camera design of H/265/H.264, please disable stream2 when stream1 is over 15fps. If stream2 is enabled, stream1 and stream2 will become 15fps, which is the same as camera design	
Panasonic WV-U1133AJ	•	,	•	•	*	*	•	•	•	*	*					2.00 Due to camera design of H/265/H.264, please disable stream2 when stream1 is over 15fps. If stream2 is enabled, stream1 and stream2 will become 15fps, which is the same as camera design	
Panasonic WV-U1133J	•		* *	•	*	*	*	*	*	*	*					1.02	
Panasonic WV-U1134AJ	•	,	. •	•	*	*	•	•	•	*	*					2.00 Due to camera design of H/265/H.264, please disable stream2 when stream1 is over 15fps. If stream2 is enabled, stream1 and stream2 will become 15fps, which is the same as camera design	
Panasonic WV-U1134J	•		* *	•	*	*	•	*	*	*	*					1.00	
Panasonic WV-U1533AJ	•	,	. •		*	*	•	•	•	*	*					2.00 Due to camera design of H/265/H.264, please disable stream2 when stream1 is over 15fps. If stream2 is enabled, stream1 and stream2 will become 15fps, which is the same as camera design	

	Camera Model	Com	pressio	n Forr	nat	Zo	om Cor	trol	Ba	sic Functi	on			Adva	nced Functio	on	Remark	
		MJPEG	MPEG -4	н.264	H.265	Pan/ Tilt	Optical Zoom	Digital Zoom	Motion Detection	Digital Input	Audio (Besides HTTP)	Two- way Audio	Edge Record (RTSP)	Supported IVA	Al Search (Metadata)	Advanced Right-Click Menu	Camera Firmware/ Note	Not support other platfor CMS, VD, S
Pan	nasonic WV-U2114J	•	*	*	•	*	*	*	*	*	*	*					1.02	
Pan	nasonic WV-U2114AJ	•	*	•	•	*	*	•	•	•	*	*					2.00 Due to camera design of H/265/H.264, please disable stream2 when stream1 is over 15fps. If stream2 is enabled, stream1 and stream2 will become 15fps, which is the same as camera design	
Pan	nasonic WV-U2134AJ	•	*	•	ullet	*	*	•	•	•	*	*					2.00 Due to camera design of H/265/H.264, please disable stream2 when stream1 is over 15fps. If stream2 is enabled, stream1 and stream2 will become 15fps, which is the same as camera design	
Pan	nasonic WV-U2134J	•	*	*	•	*	*	•	*	*	*	*					1.00	
Pan	nasonic WV-X4171 P®	•	*	•	•	*	*	•	•	•	•	*					4.3 *Please set "image capture mode" on camera first; then, user can add camera via "setting from camera" *NVR does not support Quad/4-stream mode	
Pan	nasonic WV-X6511NJ		*	•	•	•	•	•	•	•	•	*					4.3	
Pan	nasonic WV-X6530NJ		*	•	•	•	•	•	•	•	•	*					4.3	
Pan	nasonic WV-X6530NS		*	•	•	•	•	•	•	•	•	*					4.3	
Pan	nasonic WV-X6531NJ		*	•	•	•	•	•	•	•	•	*						
Pan	nasonic WV-X6531NS		*	•	•	•	•	•	•	•	•	*					4.3	
Pan	nasonic WV-X6533LNJ	•	*		•	•	•	•	•	•	•	*					4.20	
Pan	nasonic WV-X6533LNSJ	•	*			•	•	•	•	•	•	*						
Pan	nasonic WV-X8570N •	•	*			*	*	•	•	•	•	*					4.2	
DIC	GIEVER NVR supports Panasonic cameras with Generic RTSP met	hod																
URI	L				Gen	eric RTS	SP											
Pan	nasonic AW-UE50	MediaInpu	ıt/h264/st	ream_1														
Pan	nasonic Video Server																	
Pan	nasonic DG-GXE500 (4ch)	•	•	•	*	*	*	•			•	*					1.1 MJPEG stream doesn't contain sound. In H.264 and MJPEG format, video server needs to be in the same resolution. Supported camera mode: VGA [4:3] for 640x480, 320x240	
Pan	nasonic WJ-GXE500 (4ch)	•	*	•	*	*	*	•	•		•	*					1.03 Supported camera mode: VGA [4:3] for 640x480, 320x240 *Model Name will show "i-Pro".	
Pan	nasonic Camera Recorder (Support audio format: AAC)													<u></u>	<u> </u>			
Pan	nasonic AG-UMR20		*		*	*	*	•	*	*	•	*					1.11-00-0.00	

Note:

- 1. More models are under integration and will be released soon.
- 2. Two-way audio: ACTi, AXIS, Brickcom, Canon, Hi-Sharp, Honeywell, Hunt, Levelone, Milesight, Only, ONVIF, Risk Captur, SONY, Sunell, TOA (5-generation camera), VIVOTEK (LAN), WatchNet
- 3. Edge recording: ACTi, AXIS (H.264 only), Airflying, Brickcom, Chiper, Dahua, Dynacolor, Hanwha, Honeywell, HUNT, LILIN, Milesight, Only, Pinetron, SONY(H.264 only), Tecom VIVOTEK, WatchNet
- 4. VB Search supports Canon cameras listed in the compatible list except VB-C series.
- 5. Local liveview supports ImmerVersion engine codec of H.264 and MJPEG only.
- 6. For camera added via ONVIF protocol, please follow below steps to set up camera event (like motion detection, digital input, tampering detection) on DIGIEVER:
- (1) On DIGIEVER NVR: Enable camera event on event and action management page.
- (2) On camera webpage: Enable camera event on camera setting page
- $7.\ NVR\ supports\ H.264\ and\ H.265\ through\ ONVIF.\ For\ MJPEG\ format,\ please\ use\ Generic_MJPEG\ to\ add\ the\ camera.$
- 8. NVR supports Honeywell IVA through ONVIF (by Model): Motion Detection, Advanced Motion Detection, Tampering Detection, Intrusion Detection, Loitering Detection, People Counting Threshold Notice
- 9. Cameras are not supported in Camera Digital Output in the Event & Action Management : Canon and TOA
- 10. "Setting from Camera" supported brand: AXIS(5.00 or below version), Brickcom, Canon, Chiper, Dynacolor, Hunt, iCantek, IDIS, i-Pro (, LILIN, Linksys, MEDIAEDGE, Messoa, Milesight, ONLY, ONVIF, Panasonic (except for BB-HCM, BL, BB-HCE series), PROBE, Provision ISR, Samsung, SECUBEST, Sony, TOA, Topview, VIVOTEK Note: Settings from camera doesn't support MJPEG for Panasonic cameras. NVR will switch the format to H.265, H.264 or MPEG-4 if users choose MJPEG.

Copyright ® DIGIEVER Corporation All Rights Reserved