DIGIEVER Network Camera Compatibility List

The list is applied for DIGIEVER NVR firmware 76 version or later

● DIGIEVER NVR supports the camera feature * Camera does not support the feature Blank means the feature is NOT supported or verified by DIGIEVER ®360° Panoramic © NVR support camera hardware dewarp ® NVR support camera software dewarp

9. People Counting Threshold Alarm

11. Camera Tampering Detection

10. Temperature Detection

◆ Camera takes more than 1CH, needed to be added via video sever method

1. Audio Detection 5. Intrusion Detection

IVA Event 2. Advanced Motion Dectection 6. Loitering Detection 3. Human Detection 7. Forteign Object Detection

> 4. Cross Line Detection 8. Missing Object Detection 12. Object Status Change

Supported in the NVR latest version

Copyright ® DIGIEVER Corporation All Rights Reserved * Please contact DIGIEVRE sales for updated information

	Compare Model	r lease contact Digitatic sale	Compression Zoom Control															
rand	Camera Model	М		MDEC		H.265	Don/		Digital Zoom	Motion Detection	Digital Input	Audio (Besides	Two- way	Edge Record	Supported IVA	Advanced Right- Click Menu	Camera Firmware/ Note	
							1111	200111	200111	Detection	IIIput	HTTP)	Audio	(RTSP)	177	Circk Wicha		
	JVC VNC-H237EC		1	*	•	*	*	*	•	•	•	•						
	JVC VN-H557			*	•	*	*	*			_							
	JVC VN-H657			*	•	*	*	*	•			•						
	JVC VN-H137		•	*	•	*	*	*	•	•								
	JVC VN-H157WP		•	*	•	*	*	*	•	•								
	JVC VN-H237		•	*	•	*	*	*	•	•								
	JVC VN-H237VP		•	*	•	*	*	*	•	•								
	JVC VN-H257		•	*	•	*	*	*	•	•								
	JVC VN-H257VP		•	*	•	*	*	*	•	•								
	JVC VN-H37		•	*	•	*	*	*	•	•								
	JVC VN-H557		•	*	•	*	•	•	•	•								
	JVC VN-H57		•	*	•	*	*	*	•	•								
	JVC VN-H678WPR		•	*	•	*	•	•	*	•	•	•	*			IR Lamp	1.03.009	
	JVC VN-T16U		•	*	•	*	*	*	•	•								
	JVC VN-T216U		•	*	•	*	*	*	•	•								
	JVC VN-T216VPRU		•	*	•	*	*	*	•	•								
	JVC KY-PZ200		*	*	•	•	*	*	•	*	*		*				SOC v1.1.37 - ARM 6.0.98SJVC	
	(DIGIEVER NVR supports JVC cameras wit	h Generic RTSP method)																
	URL		Generic MJPEG http:// <ip>/api/video?encode=jpeg&framerate=15&server_push=on</ip>						Generic RTSP									
	JVC VN-X235																	
	JVC VN-H657WPB									Stream 1: http:// <ip>/ONVIF/Streaming/channels/U Stream 2: http://<ip>/ONVIF/Streaming/channels/1</ip></ip>								
	JVC VNC-F857REC		http:// <ip>/api/video?encode-jpeg(1)&boundary=on</ip>															

Update: Jan. 2024

Note:

- 1. More models are under integration and will be released soon.
- 2. Two-way audio: ACTi, AXIS, Brickcom, Canon, Hi-Sharp, Honeywell, Levelone, Milesight, Risk Captur, SONY, TOA (5-generation camera), VIVOTEK (LAN), WatchNet
- 3. Edge recording: ACTi, AXIS (H.264 only), Brickcom, Dynacolor, Honeywell, Hunt, SONY(H.264 only), VIVOTEK, WatchNet
- 4. VB Search supports Canon cameras listed in the compatible list except VB-C series.
- 5. Local liveview supports ImmerVersion engine codec of H.264 and MJPEG only.
- 6. For camera added via ONVIF protocol, please follow below steps to set up camera event (like motion detection, digital input, tampering detection) on DIGIEVER:
- (1) On DIGIEVER NVR: Enable camera event on event and action management page.
- (2) On camera webpage: Enable camera event on camera setting page
- 7. NVR supports H.264 and H.265 through ONVIF. For MJPEG format, please use Generic_MJPEG to add the camera.
- 8. NVR supports Honeywell IVA through ONVIF (by Model): Motion Detection, Advanced Motion Detection, Tampering Detection, Intrusion Detection, Loitering Detection, People Counting Threshold Notice
- 9. Cameras are not supported in Camera Digital Output in the Event & Action Management: Canon and TOA

Copyright ® DIGIEVER Corporation All Rights Reserved

X Camera IVA event support list:

- 1. Audio detection: ACTi, AXIS
- 2. Advanced motion detection: AXIS, Hanwha, Hitron, Milesight, WatchNet
- 3. Human detection: ACTi, AXIS, Hanwha, Levelone, Milesight, WatchNet
- 4. Cross line detection: AXIS, Brickcom, Canon, Hanwha, Hikvision, Honeywell, Levelone, Milesight, Risk Captur, WatchNet

(Note: If camera resolution is higher than 4K, local display doesn't support tripwire.)

ı	Brand	Camera Model	Compression			Zoom Control											
			MJPEG	MPEG -4	H.264 H.265	Pan/ Tilt	Optical Zoom	Digital Zoom	Motion Detection	Digital Input	Audio (Besides HTTP)	Two- way Audio	Edge Record (RTSP)	Supported IVA	Advanced Right- Click Menu	Camera Firmware/ Note	

- 5. Intrusion detection: ACTi, AXIS, Brickcom (specific version), Hitron, Honeywell, Risk Captur
- 6. Loitering detection: AXIS, Brickcom (specific version), Honeywell, Milesight, Risk Captur, WatchNet
- 7. Foreign object detection: AXIS, Brickcom (specific version), Hitron
- 8. Missing object detection: ACTi, AXIS, Brickcom (specific version), Hitron
- 9. People counting threshold alarm: AXIS, Hanwha, Honeywell, Milesight, Risk Captur, VIVOTEK, WatchNet
- 10. **Temperature detection:** EOC, FLIR, Honeywell, Mobotix
- 11. Camera tampering detection: Axis, EOC, Hitron, Honeywell, Milesight, WatchNet
- 12. Object Status Change: Axis, Dahua