DIGIEVER Network Camera Compatibility List

The list is applied for DIGIEVER NVR firmware 76 version or later

© NVR support camera hardware dewarp

Blank means the feature is NOT supported or verified by DIGIEVER

Update: Jan. 2024

® NVR support camera software dewarp

♦ Camera takes more than 1CH, needed to be added via video sever method

1. Audio Detection

5. Intrusion Detection

9. People Counting Threshold Alarm

IVA Event 2. Advanced Motion Dectection
No.: 3. Human Detection

Loitering Detection
 Forteign Object Detection

10. Temperature Detection11. Camera Tampering Detection

4. Cross Line Detection

P360° Panoramic

8. Missing Object Detection 12. Object Status Change

Supported in the NVR latest version

Copyright ® DIGIEVER Corporation All Rights Reserved

* Please contact DIGIEVRE sales for updated information

| and | Camera Model Compression Zoom Control | | | | | | | | | | | | | | | |
|-----|---|-------|------------|-------|-------|--------------|-----------------|-----------------|---------------------|------------------|----------------------------|----------------------|--------------------------|------------------|-------------------------------|--|
| | | MJPEG | MPEG -4 | H.264 | H.265 | Pan/ Tilt | Optical Zoom | Digital Zoom | Motion Detection | Digital Input | Audio (Besides HTTP) | Two- way Audio | Edge Record (RTSP) | Supported IVA | Advanced Right- Click Menu | Camera Firmware/ Note |
| ic | (DIGIEVER NVR supports Panasonic cameras with audio format: 0 | G711) | | | | | | | | | | | | | | |
| | Panasonic AW-HE75 | • | * | • | * | • | • | • | * | * | (LD) | | | | | 1.97 |
| | Panasonic AW-HR140 | • | * | • | * | • | • | • | * | * | • | * | | | | V01.1300 |
| | Panasonic BB-HCM311 | • | * | * | * | • | • | • | (FTP) | * | | * | | | | Firmware(Application) 1.30 * Unchangeable FPS |
| | Panasonic BB-HCM331 | • | * | * | * | • | • | • | ● (FTP) | * | | * | | | | Firmware(Boot) 1.03 Firmware(Application) 1.30 * Unchangeable FPS |
| | Panasonic BB-HCM381 | • | * | * | * | • | • | • | • | * | * | | | | | |
| | Panasonic BB-HCM511 | • | • | * | * | • | • | • | • | • | * | | | | | 3.60R00 |
| | Panasonic BB-HCM515 | • | | * | * | • | | • | • | • | | * | | | | Firmware(Boot) 3.11R01 |
| | Panasonic BB-HCM527 | • | • | * | * | • | | • | • | • | * | _ | | | | Firmware(Application) 3.51R00 3.60R02 |
| | Panasonic BB-HCM580 | | | * | * | | | | • | | * | * | | | | 5.6UNU2 |
| | Panasonic BB-HCM581 | | | * | * | • | | | - | | * | | | | | 3.60R00 |
| | Panasonic BB-HCM705 | • | | | * | • | • | • | • | • | | * | | | | Firmware(Boot) 4.11R03 Firmware(Application) 4.51R01 |
| | Panasonic BB-HCM715 | • | | | * | | • | • | • | • | * | * | | | | 4.31R00 |
| | Panasonic BB-HCM735 | • | • | * | * | • | • | • | • | • | • | * | | | | Firmware(Boot) 4.30R00 Firmware(Application) 4.51R01 |
| | Panasonic BB-SC364 | • | * | • | * | • | • | • | • | • | • | * | | | | |
| | Panasonic BB-SC382 | • | * | • | * | • | • | • | • | • | • | * | | | | 4.63 |
| | Panasonic BB-SC384 | • | • | • | * | • | • | • | • | • | • | * | | | | 1.51 |
| | Panasonic BB-SC384A | • | * | • | * | • | • | * | • | • | • | * | | | | |
| | Panasonic BB-SC384B | • | * | • | * | • | • | • | • | • | • | * | | | | 4.73 |
| | Panasonic BB-SP104W | • | * | • | * | * | * | • | • | * | * | * | * | | | V4.74 |
| | Panasonic BB-ST162 | • | * | • | * | • | * | • | • | • | • | * | | | | |
| | Panasonic BB-ST165 | • | * | • | * | • | • | • | • | • | • | * | | | | 1.01 |
| | Panasonic BB-ST165A | • | * | • | * | • | * | • | • | • | • | * | | | | 4.73 |
| | Panasonic BB-SW172A | • | * | • | * | • | | • | • | • | • | * | | | | Application: 4.60, Image data: 1.06 |
| | Panasonic BB-SW174WA | | * | • | * | • | • | • | • | • | • | * | | | | Applications 4.72 Image dates 4.00 |
| | Panasonic BB-SW175A | • | * | • | * | * | * | • | • | • | * | * | | | | Application: 4.73, Image data: 1.06 |
| | Panasonic BL-VP104 Panasonic DG-NF282 | | | * | * | * | * | | - | • | | * | | | | 1.61J0 |
| | Panasonic DG-NP304 | | | * | * | * | * | | - | | | * | | | | 1.50J5_1.06 |
| | Panasonic DG-NS202A | • | | * | * | • | • | • | • | • | | * | | | | 2.74J0 Support 64 preset points |
| | Panasonic DG-SC385 | • | • | • | * | | • | • | • | • | • | * | | | | 1.51 |
| | Panasonic DG-SC386 | • | • | • | * | • | • | • | • | • | • | * | | | | |
| | Panasonic DG-SF334 | • | • | • | * | * | * | • | • | • | • | * | | | | Application: 1.35, Quality adjustment data: 1. MJPEG stream doesn't contain sound. |
| | Panasonic DG-SF335 | • | • | • | * | * | * | • | • | • | • | * | | | | Application: 2.01, Quality adjustment data: 1.0 MJPEG stream doesn't contain sound. |
| | Panasonic DG-SP102 | • | * | • | * | * | * | • | • | * | * | * | | | | 1.46 |
| | Panasonic DG-SP304 | • | • | • | * | * | * | • | • | • | • | * | | | | 1.06 |
| | Panasonic DG-SP305 | • | • | • | * | * | * | • | • | • | • | * | * | | | V1.01 |
| | Panasonic DG-SP509 Panasonic DG-SW316 | • | * | | * | * | * | • | • | • | • | * | | | | |

1

| | | MPEG | | | Pan/ | Optical | Digital | Motion | Digital | Audio | Two- | Edge | Supported | Advanced Right- | |
|------------------------|-------|------|-------|-------|------|---------|---------|-----------|---------|----------|------------|--------|-----------|-----------------|------------------------|
| | MJPEG | -4 | H.264 | H.265 | Tilt | Zoom | Zoom | Detection | Input | (Besides | way | Record | IVA | Click Menu | Camera Firmware/ Note |
| Panasonic DG-SW458 | • | * | | * | * | * | • | • | | HTTP) | Audio * | (RTSP) | | | |
| Panasonic DS-SW155 | | * | | * | * | * | • | • | | * | * | | | | |
| | | * | * | * | | * | | * | * | * | * | | | | 1.8 |
| Panasonic KX-HCM130 | • | | | | • | | • | | | | | | | | * Unchangeable FPS |
| Panasonic KX-HCM180 | • | * | * | * | • | • | • | • | * | * | * | | | | 1.83 |
| Panasonic KX-HCM2 | • | * | * | * | * | * | • | * | * | * | * | | | | 1.8 * Unchangeable FPS |
| Panasonic WV-NP502 | • | • | • | * | * | * | • | • | • | • | * | | | | onenangeasie 115 |
| Panasonic WV-S1110V | • | * | • | • | * | * | • | • | • | • | * | | | | 4.5 |
| Panasonic WV-S1110VR | • | * | • | • | * | * | • | • | * | • | * | | | | |
| Panasonic WV-S1110VRJ | • | * | • | • | * | * | • | • | * | • | * | | | | |
| Panasonic WV-S1111 | • | * | • | • | * | * | • | • | • | • | * | | | | |
| Panasonic WV-S1111D | • | * | • | • | * | * | • | • | • | • | * | | | | |
| Panasonic WV-S1112 | • | * | • | • | * | * | • | • | • | • | * | | | | |
| Panasonic WV-S1115V | • | * | • | • | * | * | • | • | * | • | * | | | | |
| Panasonic WV-S1116 | • | * | • | • | * | * | • | • | • | • | * | | | | |
| Panasonic WV-S1116D | | * | | • | * | * | | • | | | * | | | | |
| Panasonic WV-S1130 | | * | | | * | * | | * | * | | * | | | | |
| Panasonic WV-S1130V | | * | | • | * | * | • | • | * | • | * | | | | |
| Panasonic WV-S1130VR | | * | • | • | * | * | • | * | * | • | * | | | | 4.02 |
| Panasonic WV-S1130VRJ | • | * | • | • | * | * | • | • | * | • | * | | | | |
| Panasonic WV-S1131 | • | * | • | • | * | * | • | • | • | • | * | | | | |
| Panasonic WV-S1135V | • | * | • | • | * | * | • | • | * | • | * | | | | |
| Panasonic WV-S1136 | • | * | • | • | * | * | • | • | • | • | * | | | | |
| Panasonic WV-S1136J | • | * | • | • | * | * | | • | • | • | * | | | | |
| Panasonic WV-S1510 | • | * | • | • | * | * | • | • | * | * | * | | | | |
| Panasonic WV-S1511LDN | • | * | • | • | * | * | • | • | • | • | * | | | | |
| Panasonic WV-S1511LN | • | * | • | • | * | * | • | • | • | • | * | | | | |
| Panasonic WV-S1511LNJ | • | * | • | • | * | * | • | • | • | • | * | | | | |
| Panasonic WV-S1516L | • | * | • | • | * | * | • | • | • | • | * | | | | |
| Panasonic WV-S1516LD | • | * | • | • | * | * | • | • | • | • | * | | | | |
| Panasonic WV-S1516LDN | • | * | • | • | * | * | • | • | • | • | * | | | | |
| Panasonic WV-S1516LN | • | * | • | • | * | * | • | • | • | • | * | | | | |
| Panasonic WV-S1531LNJ | • | * | • | • | * | * | • | • | • | • | * | | | | |
| Panasonic WV-S1531LNS | • | * | • | • | * | * | • | • | • | • | * | | | | |
| Panasonic WV-S1531LNSJ | • | * | • | • | * | * | • | • | • | • | * | | | | |
| Panasonic WV-S1531LTN | • | * | • | • | * | * | • | • | • | • | * | | | | |
| Panasonic WV-S1531LTNJ | • | * | • | • | * | * | • | • | • | • | * | | | | |
| Panasonic WV-S1536 | • | * | • | • | * | * | • | • | • | • | * | | | | |
| Panasonic WV-S1536L | • | * | • | • | * | * | • | • | • | • | * | | | | |
| Panasonic WV-S1536LN | • | * | • | • | * | * | • | • | • | • | * | | | | |
| Panasonic WV-S1536LNJ | • | * | • | • | * | * | • | • | • | • | * | | | | |
| Panasonic WV-S1536LT | • | * | • | • | * | * | • | • | • | • | * | | | | |
| Panasonic WV-S1536LTNJ | • | * | • | • | * | * | • | • | • | • | * | | | | |
| Panasonic WV-S1550L | • | * | • | • | * | * | • | • | • | • | * | | | | 4.3 |
| Panasonic WV-S1570L | • | * | • | • | * | * | • | • | * | • | * | | | | 4.23 |
| Panasonic WV-S2110 | • | * | • | • | * | * | • | • | * | • | * | | | | |
| Panasonic WV-S2110J | • | * | • | • | * | * | • | • | | • | * | | | | |
| Panasonic WV-S2110RJ | • | * | • | • | * | * | • | • | * | • | * | | | | |
| Panasonic WV-S2111L | • | * | • | • | * | * | • | • | • | • | * | | | | |
| Panasonic WV-S2111LD | • | * | • | • | * | * | • | • | • | • | * | | | | |
| Panasonic WV-S2115 | • | * | • | • | * | * | • | • | * | • | * | | | | |
| Panasonic WV-S2116L | • | * | • | • | * | * | • | • | • | • | * | | | | |
| Panasonic WV-S2116LD | • | * | • | • | * | * | • | • | • | • | * | | | | |
| Panasonic WV-S2130 | • | * | • | • | * | * | • | • | * | • | * | | | | |
| Panasonic WV-S2130RJ | • | * | • | • | * | * | • | • | * | • | * | | | | |
| Panasonic WV-S2131L | • | * | | | * | * | | • | | • | * | | 1 | 1 | |

| Brand | Camera Model | Con | Compression Zoom Control | | | | | | | | | | | | | |
|-------|--|-------|--------------------------|-------|-------|--------------|-----------------|-----------------|---------------------|------------------|----------------------------|----------------------|--------------------------|------------------|-------------------------------|--|
| | | MJPEG | MPEG -4 | H.264 | H.265 | Pan/ Tilt | Optical Zoom | Digital Zoom | Motion Detection | Digital Input | Audio (Besides HTTP) | Two- way Audio | Edge Record (RTSP) | Supported IVA | Advanced Right- Click Menu | Camera Firmware/ Note |
| | Panasonic WV-S2136 | • | * | • | • | * | * | • | • | • | • | * | (, | | | |
| | Panasonic WV-S2136L | • | * | • | • | * | * | • | • | • | • | * | | | | |
| | Panasonic WV-S2136LJ | • | * | • | • | * | * | • | • | • | • | * | | | | |
| | Panasonic WV-S2511LN | • | * | • | • | * | * | • | • | • | • | * | | | | |
| | Panasonic WV-S2531LN | • | * | • | • | * | * | • | • | • | • | * | | | | |
| | Panasonic WV-S2531LTN | • | * | • | • | * | * | • | • | • | • | * | | | | |
| | Panasonic WV-S2536L | • | * | • | • | * | * | • | • | • | • | * | | | | |
| | Panasonic WV-S2536LNJ | • | * | • | • | * | * | • | • | • | • | * | | | | |
| | Panasonic WV-S2536LT | • | * | • | • | * | * | • | • | • | • | * | | | | |
| | Panasonic WV-S2536LTNJ | • | * | • | • | * | * | • | • | • | • | * | | | | |
| | Panasonic WV-S2570L | • | * | • | • | * | * | • | • | • | • | * | | | | 4.23 |
| | Panasonic WV-S3110 | • | * | • | • | * | * | • | • | • | • | * | | | | 4.23 |
| | Panasonic WV-S3130 | • | * | • | • | * | * | • | • | * | • | * | | | | 4.23 |
| | Panasonic WV-S3110J | • | * | • | | * | * | • | • | * | • | * | | | | |
| | Panasonic WV-S3130J Panasonic WV-S3510 | • | * | • | | * | * | • | • | • | • | * | | | | 4.11 |
| | Panasonic WV-S3510J | | * | | | * | * | | • | * | • | * | | | | 7.11 |
| | Panasonic WV-53530 | | * | | | * | * | | • | • | | * | | | | 4.11 |
| | Panasonic WV-S3530J | | * | | | * | * | | • | * | • | * | | | | 4.22 |
| | | • | · | • | • | | | <u> </u> | | | | | | | | |
| | Panasonic WV-S4150 (P)(S) | • | * | • | • | * | * | • | • | • | • | * | | | | 4.10 |
| | Panasonic WV-S4156 PS | • | * | • | • | * | * | • | • | • | • | * | | | | 1.01 |
| | Panasonic WV-S4156J (P)® | • | * | • | • | * | * | • | • | • | • | * | | | | |
| | Panasonic WV-S4156LJ (P)® | • | * | • | • | * | * | • | • | • | • | * | | | | V2.00 |
| | Panasonic WV-S4176 (P)® | • | * | • | • | * | * | • | • | • | • | * | | | | 2.00 |
| | Panasonic WV-S4176J (P)® | • | * | • | • | * | * | • | • | • | • | * | | | | |
| | Panasonic WV-S4550L PS | • | * | • | • | * | * | • | • | • | • | * | | | | 4.22 |
| | Panasonic WV-S4556LJ PS | • | * | • | • | * | * | • | • | • | • | * | | | | V2.00 |
| | Panasonic WV-S4576LJ PS | • | * | • | • | * | * | • | • | • | • | * | | | | 2.00 Due to camera design of H/265/H.264, please disable stream2 when |
| | Panasonic WV-S6110 | • | * | • | | • | • | • | • | • | • | * | | | | 4.1 |
| | Panasonic WV-S6111 | • | * | • | • | • | • | • | • | • | • | * | | | | |
| | Panasonic WV-S6130 | • | * | • | * | • | • | • | • | • | • | * | | | | 4.91 *To use PTZ/ preset point function, please ensure camera authentication is in basic mode. V5.05 |
| | Panasonic WV-S6131 | • | * | • | • | • | • | • | • | • | • | * | | | | |
| | Panasonic WV-S6530 | • | * | • | • | • | • | • | • | • | • | * | | | | 4.01 |
| | Panasonic WV-S6530N | • | * | • | • | • | • | • | • | • | • | * | | | | 4.01 |
| | Panasonic WV-S6530NJ | • | * | • | | • | • | • | • | • | • | * | | | | 4.1 |
| | Panasonic WV-S6530NS | • | * | • | • | • | • | • | • | • | • | * | | | | 4.1 |
| | Panasonic WV-S6532L | • | * | • | • | • | • | • | • | • | • | * | | | | 1.01 |
| | Panasonic WV-S6532LNSJ | • | * | • | • | • | • | • | • | • | • | * | | | | |
| | Panasonic WV-S8530N ◆ | • | * | • | • | * | * | • | • | * | * | * | | | | 4.3 |
| | Panasonic WV-SC384 | • | • | • | * | • | • | • | • | • | • | * | | | | |
| | Panasonic WV-SC385 | • | • | • | * | • | • | • | • | • | • | * | | | | |
| | Panasonic WV-SC386 | • | * | • | * | * | * | • | • | * | * | * | | | | |
| | Panasonic WV-SF132 Panasonic WV-SF135 | • | * | • | * | * | * | • | • | * | * | * | | | | |
| | Panasonic WV-SF133 | | • | • | * | * | * | • | • | • | • | * | | | | |
| | Panasonic WV-SF346 | | | • | * | * | * | | • | | | * | | | | |
| | Panasonic WV-SF438 PS | | * | | * | * | * | | • | | • | * | | | | |
| | Panasonic WV-SFN130 | • | * | • | * | * | * | • | • | * | • | * | | | | 4.3 |
| | Panasonic WV-SFN310 | • | * | • | * | * | * | • | • | • | • | * | | | | |
| | Panasonic WV-SFN311 | • | * | • | * | * | * | • | • | • | • | * | | | | |
| | Panasonic WV-SFV110 | • | * | • | * | * | * | • | •, | * | • | * | | | | 4.3 |
| - | | | | | | | | | 3 | | | | | | | |

| rand | Camera Model | Con | on | | Zo | om Coi | ntrol | | | | | | | | | |
|------|-----------------------|-------|------------|-------|-------|--------------|-----------------|---|---------------------|------------------|----------------------------|----------------------|--------------------------|------------------|-------------------------------|---|
| | | MJPEG | MPEG -4 | H.264 | H.265 | Pan/ Tilt | Optical Zoom | _ | Motion Detection | Digital Input | Audio (Besides HTTP) | Two- way Audio | Edge Record (RTSP) | Supported IVA | Advanced Right- Click Menu | Camera Firmware/ Note |
| | Panasonic WV-SP105 | • | * | | * | * | * | • | | * | * | * | (KISF) | | | |
| | Panasonic WV-SP105A | • | * | • | * | * | * | • | • | * | * | * | | | | 2.50 |
| | Panasonic WV-SP508 | • | * | • | * | * | * | • | • | • | * | * | | | | |
| | Panasonic WV-SP508E | • | * | • | * | * | * | • | • | • | * | * | | | | |
| | Panasonic WV-SP509 | • | * | • | * | * | * | • | • | • | • | * | | | | |
| | Panasonic WV-SP509E | • | * | • | * | * | * | • | • | • | • | * | | | | |
| | Panasonic WV-SPN310 | • | * | • | * | * | * | • | • | • | • | * | | | | |
| | Panasonic WV-SPN310V | • | * | • | * | * | * | • | • | • | • | * | | | | 1.87 |
| | Panasonic WV-SPN311 | • | * | • | * | * | * | • | • | • | • | * | | | | |
| | Panasonic WV-SPW311AL | • | * | • | * | * | • | • | • | | | * | | | | 2.01 |
| | Panasonic WV-SPW611I | • | * | • | * | * | • | • | • | | | * | | | | 2.00 |
| | Panasonic WV-ST162 | • | * | • | * | • | * | • | • | • | • | * | | | | |
| | Panasonic WV-ST165 | • | * | • | * | • | * | • | • | • | • | * | | | | |
| | Panasonic WV-SUD638 | • | * | • | * | • | • | • | * | • | * | * | | | Wiper, IR (optoinal) | 4.8 |
| | Panasonic WV-SW152 | • | * | • | * | * | * | • | • | * | * | * | | | | |
| | Panasonic WV-SW155 | • | * | • | * | * | * | • | • | * | * | * | | | | |
| | Panasonic WV-SW172 | • | * | • | * | • | * | • | • | • | • | * | | | | |
| | Panasonic WV-SW174W | • | * | • | * | • | * | • | • | • | • | * | | | | |
| | Panasonic WV-SW314 | • | • | • | * | * | * | • | • | * | * | * | | | | |
| | Panasonic WV-SW316 | • | • | • | * | * | * | • | • | • | • | * | | | | |
| | Panasonic WV-SW316L | • | • | • | * | * | * | • | • | • | • | * | | | | |
| | Panasonic WV-SW352 | • | • | • | * | * | * | • | • | • | • | * | | | | |
| | Panasonic WV-SW355 | • | • | • | * | * | * | • | • | • | • | * | | | | |
| | Panasonic WV-SW395 | • | • | • | * | • | • | • | • | • | • | * | | | | |
| | Panasonic WV-SW396 | • | • | • | * | • | • | • | • | • | • | * | | | | |
| | Panasonic WV-SW598 | • | * | • | * | • | • | • | • | | • | * | | | | |
| | Panasonic WV-U1114J | • | * | * | • | * | * | * | * | * | * | * | | | | 1.02 |
| | Panasonic WV-U1113AJ | • | * | • | • | * | * | • | • | • | * | * | | | | 2.00 Due to camera design of H/265/H.264, please disable stream2 whe stream1 is over 15fps. If stream2 is enabled, stream1 and stream2 where the same as camera design |
| | Panasonic WV-U1114AJ | • | * | • | • | * | * | • | • | • | * | * | | | | 2.00 Due to camera design of H/265/H.264, please disable stream2 whe stream1 is over 15fps. If stream2 is enabled, stream1 and stream2 where the same as camera design |
| | Panasonic WV-U1133AJ | • | * | • | • | * | * | • | • | • | * | * | | | | 2.00 Due to camera design of H/265/H.264, please disable stream2 who stream1 is over 15fps. If stream2 is enabled, stream1 and stream2 where become 15fps, which is the same as camera design |
| | Panasonic WV-U1133J | • | * | * | • | * | * | * | * | * | * | * | | | | 1.02 |
| | Panasonic WV-U1134AJ | • | * | • | • | * | * | • | • | • | * | * | | | | 2.00 Due to camera design of H/265/H.264, please disable stream2 who stream1 is over 15fps. If stream2 is enabled, stream1 and stream2 become 15fps, which is the same as camera design |
| | Panasonic WV-U1134J | • | * | * | • | * | * | • | * | * | * | * | | | | 1.00 |
| | Panasonic WV-U1533AJ | • | * | • | • | * | * | • | • | • | * | * | | | | 2.00 Due to camera design of H/265/H.264, please disable stream2 wh stream1 is over 15fps. If stream2 is enabled, stream1 and stream2 become 15fps, which is the same as camera design |
| | Panasonic WV-U1533J | • | * | * | • | * | * | • | * | * | * | * | | | | 1.00 |
| - 1 | Panasonic WV-U2114J | • | * | * | • | * | * | * | * | * | * | * | | | | 1.02 |
| | Panasonic WV-U2114AJ | • | * | • | • | * | * | • | • | • | * | * | | | | 2.00 Due to camera design of H/265/H.264, please disable stream2 wh stream1 is over 15fps. If stream2 is enabled, stream1 and stream2 become 15fps, which is the same as camera design |
| | Panasonic WV-U2134AJ | • | * | • | • | * | * | • | • | • | * | * | | | | 2.00 Due to camera design of H/265/H.264, please disable stream2 who stream1 is over 15fps. If stream2 is enabled, stream1 and stream2 v become 15fps, which is the same as camera design |
| | Panasonic WV-U2134J | • | * | * | • | * | * | • | * | * | * | * | | | | 1.00 |
| | Panasonic WV-X4171 PS | • | * | • | • | * | * | • | • | • | • | * | | | | 4.3 |
| | Panasonic WV-X6511NJ | | * | • | • | • | • | • | • | • | • | * | | | | |
| | Panasonic WV-X6530NJ | | * | • | • | • | | • | •, | • | • | * | | | | |

| Brand | Camera Model | | Cor | Compression | | | | oom Coi | ntrol | | | | | | | | | | |
|-------|--|-------------------------|----------|-------------|--------|-------|--------------|-----------------|-----------------|---------------------|------------------|----------------------------|----------------------|--------------------------|------------------|-------------------------------|---|--|--|
| | | | MJPEG | MPEG -4 | H.264 | H.265 | Pan/ Tilt | Optical Zoom | Digital Zoom | Motion Detection | Digital Input | Audio (Besides HTTP) | Two- way Audio | Edge Record (RTSP) | Supported IVA | Advanced Right- Click Menu | Camera Firmware/ Note | | |
| | Panasonic WV-X6530NS | | | * | • | • | • | • | • | • | • | • | * | | | | | | |
| | Panasonic WV-X6531NJ | | | * | • | • | • | • | • | • | • | • | * | | | | | | |
| | Panasonic WV-X6531NS | | | * | • | • | • | • | • | • | • | • | * | | | | | | |
| | Panasonic WV-X6533LNJ | | • | * | • | • | • | | • | • | | • | * | | | | 4.20 | | |
| | Panasonic WV-X6533LNSJ | | • | * | • | • | • | • | • | • | • | • | * | | | | | | |
| | Panasonic WV-X8570N | * | • | * | • | • | * | * | • | • | • | • | * | | | | 4.2 | | |
| | DIGIEVER NVR supports Toshiba cameras with Generic RTSP method | | | | | | | | | | | | | | | | | | |
| | URL | Generic RTSP | | | | | | | | | | | | | | | | | |
| | Panasonic AW-UE50 | | MediaInp | ut/h264/st | ream_1 | | | | | | | | | | | | | | |
| | Panasonic Video Server | | | | | | | | | | | | | | | | | | |
| | Panasonic DG-GXE500 | (4ch) | • | • | • | * | * | * | • | | | • | * | | | | 1.1 MJPEG stream doesn't contain sound. In H.264 and MJPEG format, video server needs to be in the same resolution. | | |
| | Panasonic WJ-GXE500 | (4ch) | • | * | • | * | * | * | • | • | | • | * | | | | 1.03 Supported camera mode: VGA [4:3] for 640x480, 320x240 *Model Name will show "i-Pro". | | |
| | Panasonic Camera Recorder (Supp | ort audio format: AAC) | | | | | | | | • | | | | | | | | | |
| | Panasonic AG-UMR20 | | | * | | * | * | * | | * | * | | * | | | | 1.11-00-0.00 | | |

Note:

- 1. More models are under integration and will be released soon.
- 2. Two-way audio: ACTi, AXIS, Brickcom, Canon, Hi-Sharp, Honeywell, Levelone, Milesight, Risk Captur, SONY, TOA (5-generation camera), VIVOTEK (LAN), WatchNet
- 3. Edge recording: ACTi, AXIS (H.264 only), Brickcom, Dynacolor, Honeywell, Hunt, SONY(H.264 only), VIVOTEK, WatchNet
- 4. VB Search supports Canon cameras listed in the compatible list except VB-C series.
- 5. Local liveview supports ImmerVersion engine codec of H.264 and MJPEG only.
- 6. For camera added via ONVIF protocol, please follow below steps to set up camera event (like motion detection, digital input, tampering detection) on DIGIEVER:
- (1) On DIGIEVER NVR: Enable camera event on event and action management page.
- (2) On camera webpage: Enable camera event on camera setting page
- 7. NVR supports H.264 and H.265 through ONVIF. For MJPEG format, please use Generic_MJPEG to add the camera.
- 8. NVR supports Honeywell IVA through ONVIF (by Model): Motion Detection, Advanced Motion Detection, Tampering Detection, Intrusion Detection, Loitering Detection, People Counting Threshold Notice
- 9. Cameras are not supported in Camera Digital Output in the Event & Action Management: Canon and TOA

Copyright ® DIGIEVER Corporation All Rights Reserved

X Camera IVA event support list:

- 1. Audio detection: ACTi, AXIS
- 2. Advanced motion detection: AXIS, Hanwha, Hitron, Milesight, WatchNet
- 3. Human detection: ACTi, AXIS, Hanwha, Levelone, Milesight, WatchNet
- 4. Cross line detection: AXIS, Brickcom, Canon, Hanwha, Hikvision, Honeywell, Levelone, Milesight, Risk Captur, WatchNet

(Note: If camera resolution is higher than 4K, local display doesn't support tripwire.)

- 5. Intrusion detection: ACTi, AXIS, Brickcom (specific version), Hitron, Honeywell, Risk Captur
- 6. Loitering detection: AXIS, Brickcom (specific version), Honeywell, Milesight, Risk Captur, WatchNet
- 7. Foreign object detection: AXIS, Brickcom (specific version), Hitron
- 8. Missing object detection: ACTi, AXIS, Brickcom (specific version), Hitron
- 9. People counting threshold alarm: AXIS, Hanwha, Honeywell, Milesight, Risk Captur, VIVOTEK, WatchNet
- 10. **Temperature detection:** EOC, FLIR, Honeywell, Mobotix
- 11. Camera tampering detection: Axis, EOC, Hitron, Honeywell, Milesight, WatchNet
- 12. Object Status Change: Axis, Dahua