The list is applied for DIGIEVER NVR firmware 78-7 version or later

 Supported by both NVR & device * Supported by NVR but not supported by device ▲ Support by device but not supported by NVR x Not supported by both NVR & device

		NVR	
		Support	Not Support
Al Device	Support	•	•
	Not Support	*	x

Supported Metadata Event No. :

1. Motion Detection 2. Intrusion Detection 3. Loitering Detection 4. Cross Line Detection

12. Object Status Change Detection 13. Social Distance Detection 14. Smart Tracking Detection 5. Audio Detection 6. Missing Object Detection 15. Running Detection 16. Illegal Parking Detection 7. Tampering Detection 8. Foreign Object Detection 17. Digital Input 9. Restricted Zone Detection 18. Advanced Motion Detection

10. Shock Detection

11. Face Detection

19. Region Entrance Detection 20. Region Exiting Detection 21. No PPE Detection

22. Forklift No PPE Detection 23. Stopping Detection 24. Stay & Go Detection 25. Crowd Detection 26. Hand & Foot Intrusion Detection 28. Fallen Person Detection 29. Aggressive Detection 30. Bullying Detection 31. Imminent Threat Detection 32. LPR Detection 33. Animal Detection 34. Fire & Smoke Detection

35. Zone Counting Threshold Detection 27. Intentional Body Gaze Detection 36. Multi Zone Counting Threshold Detection

Sup	ported in the NVR latest version																							
	EVER Corporation All Rights Reserved													IV	letadat	a								
Brand	Camera Model					People							Car					Face				Eve	ent	Remark
		0.1	Тор	I	0.1	Bottom	- · · · ·		ар		Bag	Height	Color	Туре	Gender	Age		th different age range)	Headwear	Mask	Glasses	Al Search	Event Notice	Camera/App FW
ilesight	Milesight Cameras	Color	Length	туре	Color	Length	Туре	Yes/No	Гуре	Yes/No	туре	1	1		<u> </u>	Young	Adult	Middle Senior				1		
																						1, 2, 3, 4, 6, 7, 8,		
	MC C2052 D5D5						_				*					● (0~19)	● (20~44)	● (45~ 64) ● (65+		_	•	18, 19, 20		64 0 05 4 4 4
	MS-C2852-REPE	_	_	x			x	_		_		x	,		•	● (0~19)	● (20~44)	(45~ 64)	•	•	•	(Depends on camera's	×	61.8.85.4-c4-t18
																						capability)		
																						1, 2, 3, 4, 6, 7, 8, 18, 19, 20		
	MS-C2852-RPE			x	•		x		*			x	*	*	•	● (0~19)	● (20~44)	● (45~ 64) ● (65+		•	•	(Depends on	×	61.8.85.4-c4-t18
															_				_	_	_	camera's		
																						capability) 1, 2, 3, 4, 6, 7, 8,		
																						18, 19, 20		
	MS-C2866-RFIPE			x		•	x	•	*		*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64) ● (65+	•	•	•	(Depends on	x	61.8.85.4-c4-t18
																						camera's		
																						capability) 1, 2, 3, 4, 6, 7, 8,		
																			_			18, 19, 20		
	MS-C2866-RFPE	•	*	x	*	•	x	•		*	*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64) ● (65+	•	•	•	(Depends on camera's	×	61.8.85.4-c4-t18
																						capability)		
																						1, 2, 3, 4, 6, 7, 8,		
	MS-C2866-TFIPE			x			x		*			x	*			● (0~19)	● (20~44)	● (45~ 64) ● (65+		•	•	18, 19, 20 (Depends on	×	61.8.85.4-c4-t18
	M3 C2000 1111 2			•			•					_ ^				0 (0 .5,	0 (20 11)	, 0 (15 04) 0 (65 1		_	•	camera's	^	021010314 64 620
															1							capability)		
																						1, 2, 3, 4, 6, 7, 8, 18, 19, 20		
	MS-C2866-TFPE		•	x	•	•	x		*			x		*	•	● (0~19)	● (20~44)	● (45~ 64) ● (65+	•	•	•	(Depends on	×	61.8.85.4-c4-t18
																						camera's		
																						capability) 1, 2, 3, 4, 6, 7, 8,		
																						18, 19, 20		
	MS-C2866-X4RPE	٠.	•	x	*	•	x	•	٠	*	*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64) ● (65+	•	•	•	(Depends on camera's	×	61.8.85.4-c4-t18
																						capability)		
																						1, 2, 3, 4, 6, 7, 8,		
	MS-C2866-X4TPE			x			x		*	*		x				● (0~19)	● (20~44)	● (45~ 64) ● (65+		•		18, 19, 20 (Depends on	x	61.8.85.4-c4-t18
	WIS C2000 X411 E			_ ^			_ ^					^				G (013)	U (2044)	(43.1 04)	·	_	•	camera's	^	01.0.03.4-64-110
																						capability)		
																						1, 2, 3, 4, 6, 7, 8, 18, 19, 20		
	MS-C2871-X20RPE		•	x	•	•	x	•	*		*	x		*	•	● (0~19)	● (20~44)	● (45~ 64) ● (65+	•	•	•	(Depends on	×	61.8.85.4-c4-t18
																						camera's		
																						capability) 1, 2, 3, 4, 6, 7, 8,		
																						18, 19, 20		
	MS-C2871-X20TPE	٠	•	x	•	•	x	•		•	*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64) ● (65+	•	•	•	(Depends on camera's	×	61.8.85.4-c4-t18
																						capability)		
																						1, 2, 3, 4, 6, 7, 8,		
	MS-C2872-RFIPE			x			x		*			x			•	● (0~19)	● (20~44)	● (45~ 64) ● (65+		•	•	18, 19, 20 (Depends on	x	61.8.85.4-c4-t18
	MIS CEO/E III II E			_			_ ^					_ ^				0 (0 .5,	0 (20)	, 5 (1.5 6.7) 5 (86 1.			•	camera's	^	021010314 64 620
							-			-	1	-				1						capability)		
																						1, 2, 3, 4, 6, 7, 8, 18, 19, 20		
	MS-C2872-RFPE			ж	•	•	x	•	*			x	*	*	•	● (0~19)	● (20~44)	● (45~ 64) ● (65+	•	•	•	(Depends on	×	61.8.85.4-c4-t18
																						camera's		
			 	1			1	-			1	 				1						capability) 1, 2, 3, 4, 6, 7, 8,		
																						18, 19, 20		
	MS-C2872-TFIPE	٠.	•	x	•	•	x	•	*	*	*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64) ● (65+	•	•	•	(Depends on	×	61.8.85.4-c4-t18
				1			1			1	1	1	1	1	1	1	1	1 1	1			camera's		

	SIEVER Corporation All Rights Reserved													М	etadata	1									
Brand	Camera Model		Tor			People		-		D			Car			A	(cuppert '	h difforest	Face				Ev	ent	Remark
		Color	Top Length	Туре	Color	Bottom Length	Туре		p Type	Yes/No Type	e He	eight	Color	Туре	Gender	Age Young		h different age Middle	range) Senior	Headwear	Mask	Glasses	Al Search	Event Notice	Camera/App FW
	MS-C2872-TFPE		•	x	•	•	x	•	*			x	*	*	•		● (20~44)		● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C2941-X25RPE			x	•	•	x	•	*	•	*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C2941-X25TPE			x	•		x	•	*	•	*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C2941-X30RPE			x	•		x	•	*	•	*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C2941-X30RPE/W		•	x	*		x	•	*	•	*	x		*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	х	61.8.85.4-c4-t18
	MS-C2941-X30TPE		•	x	•		x		*	•	*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C2941-X30TPE/W		•	x	•		x	•	*	•	*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C2941-X42RPE			x	*	•	x		*	•	*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C2941-X42RPE/W			x	•		x			•	*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C2941-X42TPE		•	x	•		x	•			*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's	x	61.8.85.4-c4-t18
	MS-C2941-X42TPE/W		•	x	•		x		*		*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	capability) 1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's	x	61.8.85.4-c4-t18
	MS-C2952-REPE		•	x	•		x		*		*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	capability) 1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's	х	61.8.85.4-c4-t18
	MS-C2952-RPE			x	•		x		*	•	*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	capability) 1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C2961-X12RPE		•	x	•		x		*		*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's	x	61.8.85.4-c4-t18
	MS-C2961-X12TPE		•	x	•		x		*	•	*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	capability) 1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's	x	61.8.85.4-c4-t18
	MS-C2962-RFIPE		•	x	•		x		*	•	*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	capability) 1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18

	GIEVER Corporation All Rights Reserved													М	etadata	•									
Brand	Camera Model		T			People							Car				<i>,</i>	h d'fft	Face				Ev	ent	Remark
		Color	Top Length	Type	Color	Bottom Length	Туре		Type	Yes/No Ty		Height	Color	Type	Gender	Young		h different age Middle	Senior	Headwear	Mask	Glasses	AI Search	Event Notice	Camera/App FW
	MS-C2962-RFPE	•	•	x	*	•	x	•	*		*	x	*	*	•		● (20~44)		● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C2962-TFIPE			x	*		x	•	*	•	*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C2962-TFPE			x	٠		x		*		*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C2963-RPE			x	•		x		*		*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C2963-TPE		*	x	*		x	•	*	•	*	x		*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	х	61.8.85.4-c4-t18
	MS-C2964-FPE		•	x	*		x		x		*	x		*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	х	61.8.85.4-c4-t18
	MS-C2964-RFIPE		•	x	*	•	x	*	*	•	*	x		*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	х	61.8.85.4-c4-t18
	MS-C2964-TFIPE		*	x	*		x	٠	*	•	*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C2964-TFPE			x	*		x		*		*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C2966-RFIPE		•	x	•		x		*	•	*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C2966-RFPE			x	*		x		x	*	*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C2966-TFIPE		•	x	•		x		*	•	*	x	*	*	•	• (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C2966-TFPE			x	*		x			•	*	x	*	*	•	• (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C2966-X12RPE		•	x	*		x		*		*	x		*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C2966-X12TPE			x	•	•	x		*	•	*	x		*	•	• (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C2967-X12RPE		•	x	•	•	x	•	*		*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18

	SIEVER Corporation All Rights Reserved													М	etadata	1									
Brand	Camera Model		Tor			People		-		D			Car			A	(cuppert :: '	h diffo	Face				Ev	ent	Remark
		Color	Top Length	Туре (Color	Bottom Length	Туре		Type	Bag Yes/No Type	Heig	ht	Color	Туре	Gender	Age Young		h different ag Middle	e range) Senior	Headwear	Mask	Glasses	Al Search	Event Notice	Camera/App FW
	MS-C2967-X12TPE	•	•	х		•	x	•	*	•			*	*	•		• (20~44)		● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C2967-X23RPE		•	x	*	•	x		*	•	* x		*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C2967-X23TPE			x	•		x		*	•	* х		*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C2971-X12RPE		•	x	•		x		*	•	* x		*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	х	61.8.85.4-c4-t18
	MS-C2971-X12TPE	•	•	x	•	•	x	•	*	•	* x		*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C2971-X23RPE		•	x	•	•	x	•	*	•	* x		٠	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C2971-X23TPE		•	x	•	•	x		*	•	* x		*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C2972-RFIPE		*	x	•		x		*		* x		*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C2972-RFPE		•	x	•		x		*	•	* x		*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C2972-TFIPE		•	x	•		x		*	•	* x		*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C2972-TFPE			x	*		x	•	*	•	* х		*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C2973-PD		•	x	•		x		x	•	* x		*	*	*	*	*	*	*	*	*		1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C4441-X36RPE		•	x	*	•	x	•	*	•	* х		*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C4441-X36RPE/W		•	x	*		x		*	•	* х		*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C4452-REPE			x	•		x		*	•	* x			*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C4452-RPE		•	x	•	•	x		*	•	* x		*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18

GIEVER Corporation All Rights Rese	iveu	_	_											etadata	a	_		-				_		
Camera Model			Тор			People Bottom		Ca	ın	Bag	<u> </u>	Car			Δσε	(sunnort wit	h different ag	Face e range)					ent	Remark
	Color	,	Length	Туре	Color	Length	Туре		Type Yes/		Height	Color	Type	Gender	Young			Senior	Headwear	Mask	Glasses	Al Search	Event Notice	Camera/App FV
S-C4466-RFIPE		•	•	x	•	•	x		*		x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t1
S-C4466-RFPE				x	•	•	x	•			x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	(Depends on camera's capability)	x	61.8.85.4-c4-t
S-C4466-X4RPE		•	•	x	•		x		*		x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t
/IS-C4467-X20RPE		•		x	•	•	x		*		x	*	*	•	● (0~19)	● (20~44)	• (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-
MS-C4471-X20RPE		•		x			x		*		x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t
MS-C4472-RFIPE		•	•	x	•	•	x	•	*		x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability) 1, 2, 3, 4, 6, 7, 8,	х	61.8.85.4-c4-t
MS-C4472-RFPE		•	•	x	•	*	x	•	*		x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	18, 19, 20 (Depends on camera's capability)	х	61.8.85.4-c4-
MS-C5341-X25PE		•	*	x	*	•	x	•	*		x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	х	61.8.85.4-c4-
ИS-C5341-X30PE		•	•	x	•	•	x	•	*		x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-
MS-C5341-X30PE/W		•	•	x	•	•	x	•	*		x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4
MS-C5341-X42PE		•	*	x	*	•	x	•	*		x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4
MS-C5341-X42PE/W		•	•	x	•	•	x	٠	*		x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4
MS-C5352-EPE		•	•	x	*	*	x	•	*		x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	х	61.8.85.4-c4
MS-C5352-EPE		•	•	x	*	•	x	•	*		x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	х	61.8.85.4-c4
MS-C5352-PE		•	•	x	•		x				x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4
MS-C5352-PE			•	x	•	•	x	•	*		x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4

Copyright ® DIG	IEVER Corporation All Rights Reserved													М	etadata	3									
Brand	Camera Model		_			People							Car						Face				Eve	ent	Remark
		Color	Top Length	Type (Color	Bottom Length	Туре		Type	Yes/No Type	He	ight	Color	Type	Gender	Age Young		h different age Middle	e range) Senior	Headwear	Mask	Glasses	Al Search	Event Notice	Camera/App FW
	MS-C5361-X12PE	•	•	х	*	•	x	•	*			x	*	*	•		● (20~44)		● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's	x	61.8.85.4-c4-t18
	MS-C5362-FIPE			x	•		x	•		•	*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	capability) 1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C5362-FPE			x	•		x		*	•	*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C5363-PE			x	•	•	x		*	•	*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C5364-FIPE		•	x	•	•	x	•	٠	*	*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C5364-FPE	•	•	x	•	•	x	•	*	•	*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C5366-FIPE		•	x	•	•	x	*	*	•	*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C5366-FPE			x	•		x	•		•	*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C5366-X12PE			x	•		x		*		*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	х	61.8.85.4-c4-t18
	MS-C5367-X12PE			x	•		x		*	•	*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	х	61.8.85.4-c4-t18
	MS-C5367-X23PE		•	x	•	•	x		*	*	*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C5371-X12PE			x	•		x				*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C5371-X23PE		•	x	•		x	•	*	•	*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C5372-FIPE		•	x	•		x				*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C5372-FPE			x	•		x		*	•	*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C8152-PE			x	•		x		*	•	*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18

Copyright ® DIG	SIEVER Corporation All Rights Reserved													M	etadata	3									
Brand	Camera Model		_			People							Car						Face				Eve	ent	Remark
		Color	Top Length	Type (Color	Bottom Length	Туре		Type	Yes/No Type	e H	leight	Color	Туре	Gender	Young		h different age Middle	Senior	Headwear	Mask	Glasses	AI Search	Event Notice	Camera/App FW
	MS-C8162-FIPE	•	*	x	*	•	x	•	*			x	*	*	•		● (20~44)		● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C8162-FPE		•	x	*	•	x	•	*	•	*	x			•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C8163-PE			x	•		x			•		x	•		•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C8164-FIPE			x	•	•	x	•	*	•	*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C8164-FPE	•	*	x	*	•	x	•	*	*	*	x	*		•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C8166-FIPE		•	x	•	•	x	•	*	•	•	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C8166-FPE		•	x	•	•	x	•	٠	•	*	x	*		•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C8172-FIPE		•	x	•		x	•		•	*	x	٠		•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C8172-FPE			x	•		x					x	*		•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	х	61.8.85.4-c4-t18
	MS-C8241-X36PE		•	x	•		x	•		•	*	x	*		•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	х	61.8.85.4-c4-t18
	MS-C8241-X36PE/W		*	x	*		x					x			•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	х	61.8.85.4-c4-t18
	MS-C8266-FIPE			x	•		x		*	•	*	x		*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C8266-FPE		•	x	•		x	•		•	*	x	*		•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	х	61.8.85.4-c4-t18
	MS-C8266-X4PE			x	*		x			•		x	•		•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C8267-X20PE		•	x	•		x		*		*	x			•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	x	61.8.85.4-c4-t18
	MS-C8272-FIPE		*	x	*	•	x	•		•		x			•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	1, 2, 3, 4, 6, 7, 8, 18, 19, 20 (Depends on camera's capability)	х	61.8.85.4-c4-t18

c	Copyright ® DIGII	EVER Corporation All Rights Reserved												N	letadat	а									
	Brand	Camera Model					People						Car						Face				Eve	ent	Remark
Г				Тор		E	ottom		Cap		Bag	Height	Color	Type	Gender	Age		th different ag		Headwear	Mask	Glasses	Al Search	Event Notice	Camera/App FW
L			Color	Length	Type	Color	Length	Type	Yes/No	Type Yes/No	Туре	neight	Coloi	туре	Genuel	Young	Adult	Middle	Senior	neauweai	IVIdak	Glasses		Event Notice	Calliera/App PVV
																							1, 2, 3, 4, 6, 7, 8,		
																							18, 19, 20		
		MS-C8272-FPE	•		x	*	•	x	•	* *	*	x	*	*	•	● (0~19)	● (20~44)	● (45~ 64)	● (65+)	•	•	•	(Depends on	x	61.8.85.4-c4-t18
																							camera's		
																							capability)		

- 1. NVR supports AI Event Notice for AI Box Devices: EdgeDX AIB-TS2-08, Hanhwa AIB-800
 Please follow below steps to set up: Add Cameras into NVR > Configure Video Stream in AI BOX > Set up Event Rule in AI Box > Enable Event Action on AI Box > Add AI Box Device into NVR > Set up Event & Action in NVR
 Copyright * DIGIEVER Corporation AII Rights Reserved