DIGIEVER Network Camera Compatibility List

The list is applied for DIGIEVER NVR firmware 78-2 version or later

Blank means the feature is NOT supported or verified by DIGIEVER

Update: Oct. 2024

© NVR support camera hardware dewarp setting

S NVR support camera software dewarp

♦ Camera takes more than 1CH, needed to be added via video sever method

1. Audio Detection 5. Intrusion Detection 9. People Counting Threshold Alarm IVA Event 2. Advanced Motion Detection 6. Loitering Detection 10. Temperature Detection

VA Event 2. Advanced Motion Detection 6. Loitering Detection 10. Temperature Detection

No.: 3. Human Detection 7. Foreign Object Detection 11. Camera Tampering Detection

4. Cross Line Detection 8. Missing Object Detection 12. Object Status Change

* Please contact DIGIEVRE sales for updated information

Supported in the NVR latest version Copyright ® DIGIEVER Corporation All Rights Reserved

Afidus PM-220F4 Afidus PM-230F4

Afidus RN-230F2

Afidus SH-210Z1

Afidus TM-110F5

Afidus TM-120F5

®360° Panoramic

Brand	Camera Model	Compression Format				Zoom Control			Ba	on		Advanced Function				Remark		
		MJPEG	MPEG -4	H.264	H.265	Pan/ Tilt	Optical Zoom	Digital Zoom	l .	Digital Input	Audio (Besides HTTP)	Two- way Audio	Edge Record (RTSP)	Supported IVA	Al Search (Metadata)	Advanced Right-Click Menu	Camera Firmware/ Note	Not support in other platforms CMS, VD, SS
Afidus	Afidus cameras																	
	Afidus BN-232NB		*	•	*	*	*	•	•		•			1			6.S.0.14918	
	Afidus DN-232Z1		*	•	*	*	*	•	•		•			1			6.S.0.14918	
	Afidus RN-232Z1		*	•	*	*	*	•	•		•			1			6.S.0.14918	
	Afidus VN-232Z1		*	•	*	*	*	•	•		•			1			6.S.0.14918	
	(DIGIEVER NVR supports Afidus cameras with ONVIF)																	
	Afidus BH-530N		*		*	*	*	•	•		•			1				
	Afidus BN-230F1		*	•	*	*	*	•	•		•			1				
	Afidus DN-230V1		*	•	*	*	*	•	•		•			1				
	Afidus FH-330F3 DC		*	•	*	*	*	•	•		•			1		_	<u> </u>	
	Afidus MM-220F7			•	*	•	*	•	•		•			1		Moving Speed(PTZ)		
	Afidus MM-230F7			•	*	•	*	•	•		•			1		Moving Speed(PTZ)		

•

1

1

1

Moving Speed(PTZ)

Note:

- 1. More models are under integration and will be released soon.
- 2. Two-way audio: ACTi, AXIS, Brickcom, Canon, Hi-Sharp, Honeywell, Hunt, Levelone, Milesight, Only, ONVIF, Risk Captur, SONY, Sunell, TOA (5-generation camera), VIVOTEK (LAN), WatchNet
- 3. Edge recording: ACTi, AXIS (H.264 only), Airflying, Brickcom, Chiper, Dahua, Dynacolor, Hanwha, Honeywell, HUNT, LILIN, Milesight, Only, Pinetron, SONY(H.264 only), Tecom VIVOTEK, WatchNet

•

*

*

*

•

•

- ${\bf 4.\ VB\ Search\ supports\ Canon\ cameras\ listed\ in\ the\ compatible\ list\ except\ VB-C\ series.}$
- 5. Local liveview supports ImmerVersion engine codec of H.264 and MJPEG only.
- 6. For camera added via ONVIF protocol, please follow below steps to set up camera event (like motion detection, digital input, tampering detection) on DIGIEVER:
- (1) On DIGIEVER NVR: Enable camera event on event and action management page.
- (2) On camera webpage: Enable camera event on camera setting page
- 7. NVR supports H.264 and H.265 through ONVIF. For MJPEG format, please use Generic_MJPEG to add the camera.
- 8. NVR supports Honeywell IVA through ONVIF (by Model): Motion Detection, Advanced Motion Detection, Tampering Detection, Intrusion Detection, Loitering Detection, People Counting Threshold Notice
- 9. Cameras are not supported in Camera Digital Output in the Event & Action Management : Canon and TOA
- 10. "Setting from Camera" supported brand: AXIS(5.00 or below version), Brickcom, Canon, Chiper, Dynacolor, Hunt, iCantek, IDIS, i-Pro (, LILIN, Linksys, MEDIAEDGE, Messoa, Milesight, ONLY, ONVIF, Panasonic (except for BB-HCM, BL, BB-HCE series), PROBE, Provision ISR, Samsung, SECUBEST, Sony, TOA, Topview, VIVOTEK Note: Settings from camera doesn't support MJPEG for Panasonic cameras. NVR will switch the format to H.265, H.264 or MPEG-4 if users choose MJPEG.

•

•

•

•

•

•

Copyright ® DIGIEVER Corporation All Rights Reserved