DIGIEVER Network Camera Compatibility List

The list is applied for DIGIEVER NVR firmware 78-2 version or later　　　　　　　　　　　　　　　　　　　　　　　　**Update: Oct. 2024**

● DIGIEVER NVR supports the camera feature 　　 * Camera does not support the feature 　　　　　　 Blank means the feature is NOT supported or verified by DIGIEVER
Ⓟ360° Panoramic 　　　　　　　　　　　　　 ⓒ NVR support camera hardware dewarp setting 　　　　 Ⓢ NVR support camera software dewarp
◆ Camera takes more than 1CH, needed to be added via video sever method

1. Audio Detection	5. Intrusion Detection	9. People Counting Threshold Alarm
IVA Event 2. Advanced Motion Detection	6. Loitering Detection	10. Temperature Detection
No.: 3. Human Detection	7. Foreign Object Detection	11. Camera Tampering Detection
4. Cross Line Detection	8. Missing Object Detection	12. Object Status Change

▮ Supported in the NVR latest version

Copyright ® DIGIEVER Corporation All Rights Reserved　　　　　* Please contact DIGIEVRE sales for updated information

Brand	Camera Model	MJPEG	MPEG-4	H.264	H.265	Pan/Tilt	Optical Zoom	Digital Zoom	Motion Detection	Digital Input	Audio (Besides HTTP)	Two-way Audio	Edge Record (RTSP)	Supported IVA	AI Search (Metadata)	Advanced Right-Click Menu	Camera Firmware/ Note	Not support in other platforms CMS, VD, SS
Bosch	**Bosch cameras**																	
Bosch	AUTODOME IP 4000i		*	●	●	●	●	●	●	●	●	*					6.51.0026 (26500651) *Only support same video format between stream1 and stream2	
Bosch	AUTODOME IP 5000i		*	●	●	●	●	●	●	●	●	*					6.51.0026 (26500651) *Only support same video format between stream1 and stream2	
Bosch	DINION NBC-455		*	●	*	*	*	●	●		●							
Bosch	DINION NBN-498		*	●	*	*	*	●	●		●							
Bosch	DINION NBN-921		*	●	*	*	*	●	●		●							
Bosch	FLEXIDOME NDC-455		*	●	*	*	*	●	●		●							
Bosch	FLEXIDOME NDN-498		*	●	*	*	*	●	●		●							
Bosch	FLEXIDOME NDN-921		*	●	*	*	*	●	●		●							
Bosch	FLEXIDOME panoramic 5100i IR ⒫ⓒⓢ	*	*	●	●	*	*	●	●	●	●	*	*				8.51.0009(09000851)	
Bosch	MIC IP starlight 7000i	*	*	●	●	●	●	●	●	*	*	*	*			Wiper, IR Lamp, WhiteLED	7.87.0029 (29500787)	
Bosch	BOSCH MIC IP starlight 7100i	*	*	●	●	●	●	●	●	*	*	*	*			Wiper, IR Lamp, WhiteLED	7.87.0029 (29500787)	
Bosch	BOSCH MIC-7522-Z30WR	*	*	●	●	●	●	●	●	*	*	*	*			Wiper, IR Lamp, WhiteLED	7.87.0029 (29500787)	
Bosch	NBC 255-P		*	●	*	*	*	●	●		●							
Bosch	NBC 255-W		*	●	*	*	*	●	●		●							
Bosch	NBC 265-P		*	●	*	*	*	●	●		●							
Bosch	NBC 265-W		*	●	*	*	*	●	●		●							
Bosch	NBC 455-xxP		*	●	*	*	*	●	●		●							
Bosch	NBC-225		*	●	*	*	*	●	●		●							
Bosch	NBC-255		*	●	*	*	*	●	●		●							
Bosch	NBC-265		*	●	*	*	*	●	●		●							
Bosch	NBN 498-xxP		*	●	*	*	*	●	●		●							
Bosch	NBN 832V-IP		*	●	*	*	*	●	●		●							
Bosch	NBN 832V-P		*	●	*	*	*	●	●		●							
Bosch	NBN 921-(3)P		*	●	*	*	*	●	●		●							
Bosch	NBN 921-(4)IP		*	●	*	*	*	●	●		●							
Bosch	NBN 921-2P		*	●	*	*	*	●	●		●							
Bosch	NBN 932V-IP		*	●	*	*	*	●	●		●							
Bosch	NBN-733		*	●	*	*	*	●	●		●							
Bosch	NBN-733V		*	●	*	*	*	●	●		●							
Bosch	NBN-832		*	●	*	*	*	●	●		●							
Bosch	NBN-932	*		●	*	*	*	●	●		●							
Bosch	NDC 225-P		*	●	*	*	*	●	●		●							
Bosch	NDC 225-PI		*	●	*	*	*	●	●		●							
Bosch	NDC 255-P		*	●	*	*	*	●	●		●							
Bosch	NDC 265-P		*	●	*	*	*	●	●		●							
Bosch	NDC 274-P		*	●	*	*	*	●	●		●							
Bosch	NDC 274-PM		*	●	*	*	*	●	●		●							
Bosch	NDC 274-PT		*	●	*	*	*	●	●		●							
Bosch	NDC 284-PT		*	●	*	*	*	●	●		●							
Bosch	NDC 455V0x-xxP(s)		*	●	*	*	*	●	●		●							
Bosch	NDC-225		*	●	*	*	*	●	●		●							

Brand	Camera Model	Compression Format				Zoom Control			Basic Function			Two-way Audio	Edge Record (RTSP)	Advanced Function			Remark	Not support in other platforms CMS, VD, SS
		MJPEG	MPEG-4	H.264	H.265	Pan/Tilt	Optical Zoom	Digital Zoom	Motion Detection	Digital Input	Audio (Besides HTTP)	Two-way Audio	Edge Record (RTSP)	Supported IVA	AI Search (Metadata)	Advanced Right-Click Menu	Camera Firmware/ Note	
Bosch	NDC-225-PI		*	●	*	*	*	●	●		●							
Bosch	NDC-255		*	●	*	*	*	●	●		●							
Bosch	NDC-265-P		*	●	*	*	*	●	●		●							
Bosch	NDC-265-PIO		*	●	*	*	*	●	●		●							
Bosch	NDC-274-P		*	●	*	*	*	●	●		●							
Bosch	NDC-284		*	●	*	*	*	●	●	*	*							
Bosch	NDC-284-P		*	●	*	*	*	●	●		●							
Bosch	NDC-284-PT		*	●	*	*	*	●	●		●							
Bosch	NDN 265-PIO		*	●	*	*	*	●	●		●							
Bosch	NDN 498-V0x_xxP(s)		*	●	*	*	*	●	●		●							
Bosch	NDN 832V0x-IP		*	●	*	*	*	●	●		●							
Bosch	NDN 832V0x-P		*	●	*	*	*	●	●		●							
Bosch	NDN 921V03-(4)IP(S)		*	●	*	*	*	●	●		●							
Bosch	NDN 921V03-2x(S)		*	●	*	*	*	●	●		●							
Bosch	NDN 921V03-xx		*	●	*	*	*	●	●		●							
Bosch	NDN 932V0x-IP		*	●	*	*	*	●	●		●							
Bosch	NDN-265-PIO		*	●	*	*	*	●	●		●							
Bosch	NDN-500xx		*	●	*	*	*	●	●		●							
Bosch	NDN-733		*	●	*	*	*	●	●		●							
Bosch	NDN-932		*	●	*	*	*	●	●		●							
Bosch	NEI 30xV05-x3WE		*	●	*	*	*	●	●		●							
Bosch	NER L2Rx-x		*	●	*	*	*	●	●		●							
Bosch	NIN-500xx		*	●	*	*	*	●	●		●							
Bosch	NIN-832		*	●	*	*	*	●	●		●							
Bosch	NPC-200xx		*	●	*	*	*	●	●	*	●							
Bosch	NTC 255-PI		*	●	*	*	*	●	●		●							
Bosch	NTC 265-PI		*	●	*	*	*	●	●		●							
Bosch	NTC-255		*	●	*	*	*	●	●		●							
Bosch	NTC-265-PI		*	●	*	*	*	●	●		●							
Bosch	NTI-40012-V3	*	*	●	*	*	*	●	●	●	●							
Bosch	NTI-500xx		*	●	*	*	*	●	●		●							
Bosch	NUC-200xx		*	●	*	*	*	●	●	*	●							
Bosch	NUC-500xx		*	●	*	*	*	●	●	*	●							
Bosch	VEZ 2x1-xxxEIVA		*	●	*	●	●	●	●		●							
Bosch	VEZ 2x1-xxxS		*	●	*	●	●	●	●		●							
Bosch	VEZ-211		*	●	*	●	●	●	●		*							
Bosch	VEZ-221		*	●	*	●	●	●	●		*							
Bosch	VG4 Autodome		*	●	*	●	●	●	●		●							
Bosch	VG5 7xx-xxE2		*	●	*	●	●	●	●		●							
Bosch	VG5 8xx-xxEV		*	●	*	●	●	●	●		●							
Bosch	VG5-7028	*	*	●	*	●	●	●	●		●							
Bosch	VG5-7036		*	●	*	●	●	●	●		●							
Bosch	VG5-7200	*	*	●	*	●	●	●	●		●							
Bosch	VG5-7220-EPC4		*	●	*	●	●	●	●	●	●							
Bosch	VG5-7xx		*	●	*	●	●	●	●		●							
Bosch	VG5-825		*	●	*	●	●	●	●		●							
Bosch	VG5-836		*	●	*	●	●	●	●		●							
Bosch	VJR 8x1-Ixxx		*	●	*	●	●	●	●		●							
Bosch	VJR F801-IxxV		*	●	*	●	●	●	●		●							
Bosch	VJR-831		*	●	*	●	●	●	●		●							
Bosch	VJR-F801		*	●	*	●	●	●	●		●							
Bosch	VOT 320Vxxxx		*	●	*	*	*	●	●		●							
Bosch	NIN-733-V03P		*	●	*	*	●	●	●			*					*Support up to 60FPS 16500585 Model name: FLEXIDOME HD 720p VR	

Note:

1. More models are under integration and will be released soon.

2. Two-way audio: ACTi, AXIS, Brickcom, Canon, Hi-Sharp, Honeywell, Hunt, Levelone, Milesight, Only, ONVIF, Risk Captur, SONY, Sunell, TOA (5-generation camera), VIVOTEK (LAN), WatchNet

3. Edge recording: ACTi, AXIS (H.264 only), Airflying, Brickcom, Chiper, Dahua, Dynacolor, Hanwha, Honeywell, HUNT, LILIN, Milesight, Only, Pinetron, SONY(H.264 only), Tecom VIVOTEK, WatchNet

4. VB Search supports Canon cameras listed in the compatible list except VB-C series.

5. Local liveview supports ImmerVersion engine codec of H.264 and MJPEG only.

6. For camera added via ONVIF protocol, please follow below steps to set up camera event (like motion detection, digital input, tampering detection) on DIGIEVER:

   (1) On DIGIEVER NVR: Enable camera event on event and action management page.

Brand	Camera Model	Compression Format				Zoom Control			Basic Function					Advanced Function			Remark	Not support in other platforms CMS, VD, SS
		MJPEG	MPEG-4	H.264	H.265	Pan/Tilt	Optical Zoom	Digital Zoom	Motion Detection	Digital Input	Audio (Besides HTTP)	Two-way Audio	Edge Record (RTSP)	Supported IVA	AI Search (Metadata)	Advanced Right-Click Menu	Camera Firmware/ Note	

(2) On camera webpage: Enable camera event on camera setting page

7. NVR supports H.264 and H.265 through ONVIF. For MJPEG format, please use Generic_MJPEG to add the camera.

8. NVR supports Honeywell IVA through ONVIF (by Model): Motion Detection, Advanced Motion Detection, Tampering Detection, Intrusion Detection, Loitering Detection, People Counting Threshold Notice

9. Cameras are not supported in Camera Digital Output in the Event & Action Management : Canon and TOA

10. "Setting from Camera" supported brand: AXIS(5.00 or below version), Brickcom, Canon, Chiper, Dynacolor, Hunt, iCantek, IDIS, i-Pro (, LILIN, Linksys, MEDIAEDGE, Messoa, Milesight, ONLY, ONVIF, Panasonic (except for BB-HCM, BL, BB-HCE series), PROBE, Provision ISR, Samsung, SECUBEST, Sony, TOA, Topview, VIVOTEK

Note: Settings from camera doesn't support MJPEG for Panasonic cameras. NVR will switch the format to H.265, H.264 or MPEG-4 if users choose MJPEG.