

DIGIEVER Network Camera Compatibility List

The list is applied for DIGIEVER NVR firmware 71-8 version or later

Update: Mar 2021

● DIGIEVER NVR supports the camera feature
 ③ 360° Panoramic

* Camera does not support the feature
 © NVR support camera hardware dewarp

Blank means DIGIEVER NVR doesn't support the feature
 Ⓢ NVR support camera software dewarp

Supported in the NVR latest version

◆ Camera takes more than 1CH, needed to be added via video sever method

Copyright © DIGIEVER Corporation All Rights Reserved

☒ Please contact DIGIEVER sales for updated information

Brand	Camera Model	Compression				Zoom Control			Motion Detection	Digital Input	Audio (Besides HTTP)	Two-way Audio	Advanced Right-Click Menu	Camera Firmware/ Note
		MJPEG	MPEG-4	H.264	H.265	Pan/Tilt	Optical Zoom	Digital Zoom						
Brickcom	(DIGIEVER NVR supports Brickcom cameras two-way audio with audio format: G711)													
	Brickcom CB-100Ae	●	●	●	*	*	*	●	●	*	●			
	Brickcom CB-100Ae-VGA	●	●	●	*	*	*	●	●	*	●			
	Brickcom CB-100AP	●	●	●	*	*	*	●	●	*	●			
	Brickcom CB-101Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom CB-102Ae	●	●	●	*	*	*	●	●	●	●			
	Brickcom CB-102Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom CB-200Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom CB-202Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom CB-300Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom CB-302Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom CB-500Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom CB-500Ap-360	●	●	●	*	*	*	●	●	●	●			
	Brickcom CB-500Ap-360P	●	●	●	*	*	*	●	●	●	●			
	Brickcom CB-502Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom FB-100Ae	●	●	●	*	*	*	●	●	●	●			
	Brickcom FB-100AP	●	●	●	*	*	*	●	●	●	●			
	Brickcom FB-130Ae	●	●	●	*	*	*	●	●	●	●			
	Brickcom FB-130Np	●	●	●	*	*	*	●	●	●	●			v3.1.0.9
	Brickcom FB-200Np	●	●	●	*	*	*	●	●	●	●			
	Brickcom FB-300Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom FB-300Np	●	●	●	*	*	*	●	●	●	●			v3.2.3.2C32
	Brickcom FB-500Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom FB-H200Np WDRPro	●	●	●	*	*	*	●	●	●	●			
	Brickcom FB-H300Np StarPlus	●	●	●	*	*	*	●	●	●	●			
	Brickcom FD-100Ae	●	●	●	*	*	*	●	●	●	●			
	Brickcom FD-100AP	●	●	*	*	*	*	●	●	●	●			
	Brickcom FD-130Ae	●	●	●	*	*	*	●	●	●	●			
	Brickcom FD-130Ap	●	●	●	*	*	*	●	●	●	●			v3.1.0.8
	Brickcom FD-130Np	●	●	●	*	*	●	●	●	●	●			
	Brickcom FD-131Af	●	●	●	*	*	*	●	●	●	●			v3.2.2.6
	Brickcom FD-200Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom FD-200NE	●	●	●	*	*	*	●	●	●	●			
	Brickcom FD-200Np	●	●	●	*	*	●	●	●	●	●			
	Brickcom FD-201Af	●	●	●	*	*	*	●	●	●	●			
	Brickcom FD-202Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom FD-202Np	●	●	●	*	*	*	●	●	●	●			
	Brickcom FD-300Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom FD-300Np	●	●	●	*	*	*	●	●	●	●			v3.1.0.9
	Brickcom FD-301Af	●	●	●	*	*	*	●	●	●	●			

Brand	Camera Model	Compression				Zoom Control			Motion Detection	Digital Input	Audio (Besides HTTP)	Two-way Audio	Advanced Right-Click Menu	Camera Firmware/ Note
		MJPEG	MPEG-4	H.264	H.265	Pan/Tilt	Optical Zoom	Digital Zoom						
	Brickcom FD-302Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom FD-500Ae	●	*	●	*	*	*	●	●	●	●			
	Brickcom FD-500Ap	●	●	●	*	*	●	●	●	●	●			
	Brickcom FD-501Af	●	●	●	*	*	●	●	●	●	●			
	Brickcom FD-502Ap	●	●	●	*	*	●	●	●	●	●			
	Brickcom GOB-100Ap	●	●	●	*	*	*	●	●	●	●		v3.1.0.9	
	Brickcom GOB-130Np	●	●	●	*	*	*	●	●	●	●			
	Brickcom GOB-132Np	●	●	●	*	*	*	●	●	●	●			
	Brickcom GOB-200Np	●	●	●	*	*	*	●	●	●	●			
	Brickcom GOB-300Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom GOB-300Np	●	●	●	*	*	*	●	●	●	●			
	Brickcom GOB-302Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom GOB-302Np	●	●	●	*	*	*	●	●	●	●			
	Brickcom GOB-500Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom GOB-502Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom MB-130Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom MB-200Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom MB-300Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom MB-500Ap	●	●	●	*	*	*	●	●	*	●			
	Brickcom MD-100Ae	●	●	●	*	*	*	●	●	*	●		v3.1.0.8	
	Brickcom MD-100Ap	●	●	●	*	*	*	●	●	*	●			
	Brickcom MD-200Ap	●	●	●	*	*	*	●	●	*	●			
	Brickcom MD-200Np	●	●	●	*	*	*	●	●	*	●		v3.2.2.7	
	Brickcom MD-300Ap	●	●	●	*	*	*	●	●	*	●			
	Brickcom MD-300Ap-360P (P)(S)	●	●	●	*	*	*	●	●	*	●			
	Brickcom MD-300Np	●	●	●	*	*	*	●	●	*	●		v3.2.2.7	
	Brickcom MD-300Np-360P (P)(S)	●	●	●	*	*	*	●	●	*	●		v3.2.2.7	
	Brickcom MD-500Ad	●	●	●	*	*	*	●	●	*	●			
	Brickcom MD-500Ap	●	●	●	*	*	*	●	●	*	●			
	Brickcom MD-500Ap-360P (P)(S)	●	●	●	*	*	*	●	●	*	●		v3.1.0.7	
	Brickcom MD-H600Np-360 DN	●	●	●	*	*	*	●	●	●	●			
	Brickcom MD-H600NP-360P SE (P)(C)(S)		*	●	●	*	*	*	●	●	●		v3.5.0804.1004.195.1.31.0.2	
	Brickcom MD-H600p-360 (P)(S)	●	*	●	*	*	*	●	●	●	●			
	Brickcom OB-100Ae	●	●	●	*	*	*	●	●	●	●			
	Brickcom OB-100Ap	●	●	●	*	*	●	●	●	●	●			
	Brickcom OB-130Ae	●	●	●	*	*	*	●	●	●	●		v3.2.2.4	
	Brickcom OB-130Af	●	●	●	*	*	*	●	●	●	●			
	Brickcom OB-130Np	●	●	●	*	*	●	●	●	●	●			
	Brickcom OB-200Af	●	●	●	*	*	*	●	●	●	●			
	Brickcom OB-200Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom OB-200NE	●	●	●	*	*	*	●	●	●	●			
	Brickcom OB-200Nf	●	●	●	*	*	*	●	●	*	*			
	Brickcom OB-200Np	●	●	●	*	*	●	●	●	●	●			
	Brickcom OB-200Np-LR WDRPro-20X	●	●	●	*	●	●	●	●	●	●			
	Brickcom OB-202Ae	●	●	●	*	*	*	●	●	●	●			
	Brickcom OB-202Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom OB-202Ne	●	●	●	*	*	*	●	●	●	●			

Brand	Camera Model	Compression				Zoom Control			Motion Detection	Digital Input	Audio (Besides HTTP)	Two-way Audio	Advanced Right-Click Menu	Camera Firmware/ Note
		MJPEG	MPEG-4	H.264	H.265	Pan/Tilt	Optical Zoom	Digital Zoom						
	Brickcom OB-202Np	●	●	●	*	*	*	●	●	●	●			
	Brickcom OB-300Af	●	●	●	*	*	*	●	●	●	●			
	Brickcom OB-300Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom OB-300Ne	●	●	●	*	*	*	●	●	●	●			
	Brickcom OB-300Nf	●	●	●	*	*	*	●	●	*	*			
	Brickcom OB-300Np	●	●	●	*	*	●	●	●	●	●			
	Brickcom OB-302Ae	●	●	●	*	*	*	●	●	●	●			
	Brickcom OB-302Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom OB-302Ne	●	●	●	*	*	*	●	●	●	●			
	Brickcom OB-302Np	●	●	●	*	*	*	●	●	●	●			
	Brickcom OB-400Af	●	●	●	*	*	*	●	●	●	●			
	Brickcom OB-500Ae	●	*	●	*	*	*	●	●	●	●			
	Brickcom OB-500Af	●	●	●	*	*	*	●	●	●	●			
	Brickcom OB-500Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom OB-502Ae	●	●	●	*	●	*	●	●	*	●		v3.1.0.9	
	Brickcom OB-502Ap	●	●	●	*	●	*	●	●	*	●		v3.1.0.9	
	Brickcom OB-E200Af	●	●	●	*	*	*	●	●	*	●		v3.5.0.2	
	Brickcom OB-E200Nf	●	●	●	*	*	*	●	●	●	●		v3.5.0.2	
	Brickcom OB-E400Af	●	*	●	*	*	*	●	●	*	●			
	Brickcom OB-H200Np WDRPro	●	●	●	*	*	*	●	●	●	●			
	Brickcom OB-H200NP-WDRPRO-H.265		*	●	●	●	●	●	●	●	●		v3.5.0804.1004.195.1.31.7.1	
	Brickcom OSD-040D/E			●	*	●	●	●	●	●	●			
	Brickcom OSD-200A-20XP		*	●	●	●	●	●	●	●	●		v3.5.0804.1004.195.1.31.7.1	
	Brickcom OSD-200AP	●	●	●	*	●	●	●	●	*	●		gk20130710NSA	
	Brickcom OSD-200Np 30X	●	●	●	*	●	●	●	●	●	●			
	Brickcom PH-100Ah Kit	●	●	●	*	*	*	●	●	●	●			
	Brickcom PZ-040D/E	●	●	●	*	*	*	●	●	●	●			
	Brickcom VD-100Ae	●	●	●	*	*	*	●	●	●	●			
	Brickcom VD-100Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom VD-130Ae	●	●	●	*	*	*	●	●	●	●			
	Brickcom VD-130Af	●	●	●	*	*	*	●	●	●	●			
	Brickcom VD-130Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom VD-130Np	●	●	●	*	*	●	●	●	●	●			
	Brickcom VD-131Af	●	●	●	*	*	*	●	●	●	●			
	Brickcom VD-132Np	●	●	●	*	*	*	●	●	●	●			
	Brickcom VD-200Af	●	●	●	*	*	*	●	●	*	●			
	Brickcom VD-200Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom VD-200NE	●	●	●	*	*	*	●	●	●	●			
	Brickcom VD-200Nf	●	●	●	*	*	*	●	●	*	●			
	Brickcom VD-200Np	●	●	●	*	*	●	●	●	●	●			
	Brickcom VD-201Af	●	●	●	*	*	*	●	●	●	●			
	Brickcom VD-202Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom VD-202Np	●	●	●	*	*	*	●	●	●	●			
	Brickcom VD-300Af	●	●	●	*	*	●	●	●	*	●			
	Brickcom VD-300Af-360P	●	●	●	*	*	●	●	●	●	●			
	Brickcom VD-300Ap	●	●	●	*	*	●	●	●	●	●			
	Brickcom VD-300Nf	●	●	●	*	*	*	●	●	*	●		v3.2.2.7	

Brand	Camera Model	Compression				Zoom Control			Motion Detection	Digital Input	Audio (Besides HTTP)	Two-way Audio	Advanced Right-Click Menu	Camera Firmware/ Note
		MJPEG	MPEG-4	H.264	H.265	Pan/Tilt	Optical Zoom	Digital Zoom						
	Brickcom VD-300Nf-360P (D)(S)	●	●	●	*	*	*	●	●	●	●			
	Brickcom VD-300Np	●	●	●	*	*	*	●	●	●	●			
	Brickcom VD-301Af	●	●	●	*	*	*	●	●	●	●			
	Brickcom VD-302Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom VD-302Ne	●	●	●	*	*	*	●	●	●	●			
	Brickcom VD-302Np	●	●	●	*	*	*	●	●	●	●			
	Brickcom VD-400Af	●	●	●	*	*	*	●	●	●	●			
	Brickcom VD-500Ae	●	*	●	*	*	*	●	●	●	●			
	Brickcom VD-500Af	●	●	●	*	*	●	●	●	*	●			
	Brickcom VD-500Af-360P (D)(S)	●	●	●	*	*	*	●	●	●	●			
	Brickcom VD-500Ap	●	●	●	*	*	●	●	●	●	●			
	Brickcom VD-501Af	●	●	●	*	*	●	●	●	●	●			
	Brickcom VD-502Ae	●	*	●	*	*	*	●	●	●	●			
	Brickcom VD-502Ap	●	●	●	*	*	*	●	●	*	●			
	Brickcom VD-E200Af	●	●	●	*	*	*	●	●	●	●		v3.5.0.2	
	Brickcom VD-E200Nf	●	●	●	*	*	*	●	●	*	●		v3.5.0.2	
	Brickcom VD-E400Af	●	*	●	*	*	*	●	●	*	●			
	Brickcom VD-E400AP SE		*	●	●	*	●	●	●	●	●		v3.5.0804.1004.195.1.31.7.1	
	Brickcom WCB-00Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom WCB-100Ae	●	●	●	*	*	*	●	●	*	●			
	Brickcom WCB-100Ae-VGA	●	●	●	*	*	*	●	●	*	●			
	Brickcom WCB-100Ap	●	●	●	*	*	*	●	●	*	●			
	Brickcom WCB-200AF	●	●	●	*	*	*	●	●	●	●			
	Brickcom WCB-200Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom WCB-300Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom WCB-500Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom WCB-502Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom WFB-100Ae	●	●	●	*	*	*	●	●	●	●			
	Brickcom WFB-100AP	●	●	●	*	*	*	●	●	●	●			
	Brickcom WFB-130Np	●	●	●	*	*	*	●	●	●	●			
	Brickcom WFB-300Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom WMB-130Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom WMB-200Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom WMB-300Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom WMB-500Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom WOB-100Ae	●	●	●	*	*	*	●	●	●	●			
	Brickcom WOB-100Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom WOB-130Np	●	●	●	*	*	*	●	●	●	●			
	Brickcom WOB-200Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom WOB-200Np	●	●	●	*	*	*	●	●	●	●			
	Brickcom WOB-300Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom WOB-300Np	●	●	●	*	*	*	●	●	●	●			
	Brickcom WOB-302Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom WOB-302Np	●	●	●	*	*	*	●	●	●	●			
	Brickcom WOB-500Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom WOB-502Ap	●	●	●	*	*	*	●	●	●	●			
	Brickcom Video Server													

Brand	Camera Model	Compression				Zoom Control			Motion Detection	Digital Input	Audio (Besides HTTP)	Two-way Audio	Advanced Right-Click Menu	Camera Firmware/ Note	
		MJPEG	MPEG-4	H.264	H.265	Pan/Tilt	Optical Zoom	Digital Zoom							
Brickcom	VB-03	*	*	●	*	*	*	●	*	●	●			v3.2.3.4B	
	VS-01Ap			●	*	*	*	●	●	*	●				
	VS-04A			●	*	●	*	●	●	●	●			v3.5.2.22	
	WVS-01Ap			●	*	*	*	●	●	*	●				
	Brickcom Joystick														
	IP Desktop	*	*	*	*	●	●	*	*	*	*	*			
	SMC-71	*	*	*	*	●	●	*	*	*	*	*			

Note:

1. More models are under integration and will be released soon.
2. Two-way audio supports LAN only.
3. NVR supports two-way audio brands : AXIS, Brickcom, Canon, Milesight, SONY, VIVOTEK
4. NVR supports edge recording brands : AXIS, Brickcom, Dynacolor, SONY, VIVOTEK
5. NVR supports cross line detection brands : Brickcom, Canon, Milesight
6. VB Search supports Canon cameras listed in the compatible list except VB-C series.
7. Local liveview supports ImmerVersion engine codec of H.264 and MJPEG only.
8. For camera added via ONVIF protocol, please follow below steps to set up camera event (like motion detection or digital input) on DIGIEVER:
 - (1) On DIGIEVER NVR: Enable camera event on event and action management page.
 - (2) On camera webpage: Enable camera event on camera setting page
9. NVR doesn't support MJPEG in ONVIF. Please add the camera via Generic_MJPEG to use MJPEG via ONVIF.
10. Cameras are not supported in Camera Digital Output in the Event & Action Management : Canon and TOA

Copyright © DIGIEVER Corporation All Rights Reserved