

DIGIEVER Network Camera Compatibility List

The list is applied for DIGIEVER NVR firmware 78-2 version or later

Update: Oct. 2024

| | | |
|---|--|--|
| ● DIGIEVER NVR supports the camera feature | * Camera does not support the feature | Blank means the feature is NOT supported or verified by DIGIEVER |
| ② 360° Panoramic | Ⓒ NVR support camera hardware dewarp setting | Ⓔ NVR support camera software dewarp |
| ◆ Camera takes more than 1CH, needed to be added via video sever method | | |
| IVA Event | 1. Audio Detection | 5. Intrusion Detection |
| No.: | 2. Advanced Motion Detection | 6. Loitering Detection |
| | 3. Human Detection | 7. Foreign Object Detection |
| | 4. Cross Line Detection | 8. Missing Object Detection |
| | | 9. People Counting Threshold Alarm |
| | | 10. Temperature Detection |
| | | 11. Camera Tampering Detection |
| | | 12. Object Status Change |

| Supported in the NVR latest version | | | | | | | | | | | | | | | | | | | |
|--|---|--------------------|--------|-------|-------|--------------|--------------|--------------|------------------|---|----------------------|---------------|--------------------|---------------|----------------------|---------------------------|-----------------------|--|--|
| Copyright © DIGIEVER Corporation All Rights Reserved | | | | | | | | | | * Please contact DIGIEVRE sales for updated information | | | | | | | | | |
| Brand | Camera Model | Compression Format | | | | Zoom Control | | | Basic Function | | | | Advanced Function | | | | Remark | | |
| | | MJPEG | MPEG-4 | H.264 | H.265 | Pan/Tilt | Optical Zoom | Digital Zoom | Motion Detection | Digital Input | Audio (Besides HTTP) | Two-way Audio | Edge Record (RTSP) | Supported IVA | AI Search (Metadata) | Advanced Right-Click Menu | Camera Firmware/ Note | Not support in other platforms CMS, VD, SS | |
| Chiper | Chiper cameras | | | | | | | | | | | | | | | | | | |
| | Chiper CPT-MG625-LPR | * | * | ● | ● | * | * | ● | ● | ● | ● | * | ● | | | | cp20240329YX-1 | | |
| | (DIGIEVER NVR supports Chiper cameras with ONVIF) | | | | | | | | | | | | | | | | | | |
| | Chiper CPT-MG538 | ● | | ● | ● | * | * | ● | ● | * | * | * | | | | | | | |

- Note:
- 1. More models are under integration and will be released soon.
 - 2. Two-way audio: ACTi, AXIS, Brickcom, Canon, Hi-Sharp, Honeywell, Hunt, Levelone, Milesight, Only, ONVIF, Risk Captur, SONY, Sunell, TOA (5-generation camera), VIVOTEK (LAN), WatchNet
 - 3. Edge recording: ACTi, AXIS (H.264 only), Airflying, Brickcom, Chiper, Dahua, Dynacolor, Hanwha, Honeywell, HUNT, LILIN, Milesight, Only, Pinetron, SONY(H.264 only), Tecom VIVOTEK, WatchNet
 - 4. VB Search supports Canon cameras listed in the compatible list except VB-C series.
 - 5. Local liveview supports ImmerVersion engine codec of H.264 and MJPEG only.
 - 6. For camera added via ONVIF protocol, please follow below steps to set up camera event (like motion detection, digital input, tampering detection) on DIGIEVER:
 - (1) On DIGIEVER NVR: Enable camera event on event and action management page.
 - (2) On camera webpage: Enable camera event on camera setting page
 - 7. NVR supports H.264 and H.265 through ONVIF. For MJPEG format, please use Generic_MJPEG to add the camera.
 - 8. NVR supports Honeywell IVA through ONVIF (by Model): Motion Detection, Advanced Motion Detection, Tampering Detection, Intrusion Detection, Loitering Detection, People Counting Threshold Notice
 - 9. Cameras are not supported in Camera Digital Output in the Event & Action Management : Canon and TOA
 - 10. "Setting from Camera" supported brand: AXIS(5.00 or below version), Brickcom, Canon, Chiper, Dynacolor, Hunt, iCantek, IDIS, i-Pro (, LILIN, Linksys, MEDIAEDGE, Messo, Milesight, ONLY, ONVIF, Panasonic (except for BB-HCM, BL, BB-HCE series), PROBE, Provision ISR, Samsung, SECUBEST, Sony, TOA, Topview, VIVOTEK
- Note: Settings from camera doesn't support MJPEG for Panasonic cameras. NVR will switch the format to H.265, H.264 or MPEG-4 if users choose MJPEG.

Copyright © DIGIEVER Corporation All Rights Reserved